
Burquip







www.burquip.co.za

Contents

Rubbaride Axles - Up to 3,500kg 05

Rubbaride Stub Axles Without Brakes 05
Rubbaride Stub Axles With Drum Brakes 05
Rubbaride Full Beam Axles Without Brakes 06
Rubbaride Full Beam Axles With Drum Brakes 06

Standard High Speed Axles - Up to 3,500kg 07

Standard High Speed Axles Without Brakes 07
Standard High Speed Axles With Brakes 09

Agricultural Implement Axles 10

Full Beam Axles Without Brakes 10
Full Beam Axles With Brakes (Flat Cam) 11

Standard High Speed Axles - 3,500kg to 13,000kg 12

Transmission Components 13

Bearing Kits 15

Wheels 17

High Speed Trailer & Caravan Wheels 17
Rim & Tyre Combos 21
Agricultural Tractor & Implement Wheels 23

Hydraulic Cylinders 26

Base Pin Mounted Cylinders 26
Centre Trunnion Mounted Cylinders 29
Brake Cylinder Kit 34
Ball & Socket Tipping Joint 34

Tie-Rod Cylinders 35

Turntables 39

Power Take-Off Series 41

Complete PTO's - 4S 41
Complete PTO's - 6S 41
PTO Spares -4S 42
PTO Spares - 6S 43

Couplers 44

With Brakes 44
Without Brakes 46
Tow Eyes 47

Landing Gear 48

Jockey Wheels & Clamps 48
Parking Jacks 50
Stabaliser Legs 52

Suspensions 53

Leaf Springs 53
Spring Kits 55
Spring Mounting Kits 56
Parabolic Springs 58
Dampers 59

U-Bolts & 5 Hole Plates 60

U-Bolts 60
5 Hole Plates 61

Saddles, Bolts & Hangers 62

Saddles 62
Bolts 62
Hangers 63

Wheel Studs & Nuts 64

Wheel Studs 64
Wheel Nuts 65
Nylock Nuts 65

Castle Nuts & Grease Caps 66

Castle Nuts 66
Grease Caps 67

Knott Braked Coupler Spares 68

Pressed Steel Bodies 68
Cast Iron Bodies 70

Coupler Din Eye Heads 71

Brake Mechanisms 72

BK200 72
BK250B 73
BK250A 74

Introduction to Pitch Circle Diameters (PCD) 75

Brake Drums 76

1,600kg Axle 76
1,800kg Axle 77
2,500kg Axle 78

Hubs 79

750kg Unbraked Axle 79
1,600kg Unbraked Axle 80
2,500kg Unbraked Axle 82

Electrical & Reflective Components 84

Electrical Cable 84
Light Boxes 84
Lights 85
Plugs & Adaptors 89
Reflective Components 90

Body Components 91

Data Plate 91
Hand Winches 91
Tie-Downs 92
Hinges, Brackets & Fittings 93
Tail Boards 97
Mud Guards 98

Cargo Solutions 99

Tow Ball Bike Racks 100

Scout Platform Range 100
Explorer Platform Range 100
Pinnacle Platform Range 100
Hang On Rack 100

Roof Mounted Bike Racks 101

Flat Mount Roof Rack 101
Thru Axle Mount Roof Rack 101
Cup Mount Roof Rack 101

Roof Cross Bars 102

Roof Platforms 102

Roof Cargo Boxes 102

Contact Details 103

Rubbaride Stub Axles

Without Brakes

Stock Code	Capacity	Stud Fixing	Price Per Stub
AR0550/0750L/ AR0550/0750R	550kg to 750kg (Pair)	4/61/100	R 2,305
AR0900/1150L/ AR0900/1150R	900kg to 1,150kg (Pair)	Optional	R 4,599
AR1200/1600L/ AR1200/1600R	1,200kg to 1,600kg (Pair)	Optional	R 4,735
AR1300/1800L/ AR1300/1800R	1,300kg to 1,800kg (Pair)	Optional	R 4,735
AR2000/2500L/ AR2000/2500R	2,000kg to 2,500kg (Pair)	Optional	R 8,810
AR3000/3500L/ AR3000/3500R	3,000kg to 3,500kg (Pair)	6/160.8/205	R 10,495



AR0550/0750L&R



AR3000/3500L&R

With Drum Brakes

Stock Code	Capacity	Stud Fixing	Brake Size	Brake Capacity	Price Per Stub
ARC0900/1150L/ ARC0900/1150R	900kg to 1,150kg (Pair)	Optional	200x50	1,600kg	R 6,045
ARC1200/1600L/ ARC1200/1600R	1,200kg to 1,600kg (Pair)	Optional	200x50	1,600kg	R6,295
ARC1300/1800L/ ARC1300/1800R	1,300kg to 1,800kg (Pair)	Optional	250x40	1,800kg	R 7,345
ARC2000/2500L/ ARC2000/2500R	2,000kg to 2,500kg (Pair)	Optional	250x50	2,500kg	R 11,860
ARC3000/3500L/ ARC3000/3500R	3,000kg to 3,500kg (Pair)	6/205	250x50	2,500kg	R 17,845

Price excludes brake cable.



ARC1200-1600L&R

When two axles are to be used in tandem, the order must state it.
Where two axles are used in tandem without a load sharing mechanism, the carrying capacity of the combination is reduced by 17%.

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)

Rubbaride Full Beam Axles

Without Brakes

Stock Code	Capacity	Stud Fixing	Price Each
AR0550/0750-1	550kg to 750kg	4/61/100	R 4,405
AR0900/1150-1	900kg to 1,150kg	Optional	R 8,395
AR1200/1600-1	1,200kg to 1,600kg	Optional	R 9,445
AR1300/1800-1	1,300kg to 1,800kg	Optional	R 9,340
AR2000/2500-1	2,000kg to 2,500kg	Optional	R 17,425
AR3000/3500-1	3,000kg to 3,500kg	6/160.8/205	R 19,210



AR1200/1600-1



AR2000/2500-1

With Drum Brakes

Stock Code	Capacity	Stud Fixing	Brake Size	Brake Capacity	Price Each
ARC0900/1150-1	900kg to 1,150kg	Optional	200x50	1,600kg	R 11,860
ARC1200/1600-1	1,200kg to 1,600kg	Optional	200x50	1,600kg	R 12,595
ARC1300/1800-1	1,300kg to 1,800kg	Optional	250x40	1,800kg	R 14,275
ARC2000/2500-1	2,000kg to 2,500kg	Optional	250x50	2,500kg	R 23,095
ARC3000/3500-1	3,000kg to 3,500kg	6/160/205	305x80	3,500kg	R 34,645

Price excludes brake cable.



ARC0900/1150-1



ARC1300/1800-1

When two axles are to be used in tandem, the order must state it.
Where two axles are used in tandem without a load sharing mechanism, the carrying capacity of the combination is reduced by 17%.

Full Beam Axles

Without Brakes

Stock Code	Load Capacity	Hub	Beam	H/H	Price Each
AF40A.H/H.01	900kg	4/61/100	Ø 40mm	Up to 1,300mm	R 1,845
AF40A.H/H.01	900kg	4/61/100	Ø 40mm	1,301 to 1,450mm	R 1,885
AF40A.H/H.01	900kg	4/61/100	Ø 40mm	1,451 to 1,650mm	R 2,020
AF40A.H/H.01	900kg	4/61/100	Ø 40mm	1,651 to 1,805mm	R 2,075
AF40A.H/H.01	900kg	4/61/100	Ø 40mm	1,806 to 2,000mm	R 2,200
AF40A.H/H.01	900kg	4/61/100	Ø 40mm	2,001 to 2,150mm	R 2,305
AF40A.H/H.01	900kg	4/61/100	Ø 40mm	2,151 to 2,200mm	R 2,430
AF40A.H/H.01	900kg	4/61/100	Ø 40mm	2,201 to 2,300mm	R 2,495
AF45A.H/H	1,600kg	Optional	■ 45mm	Up to 1,420mm	R 2,965
AF45A.H/H	1,600kg	Optional	■ 45mm	1,421 to 1,450mm	R 3,075
AF45A.H/H	1,600kg	Optional	■ 45mm	1,451 to 1,575mm	R 3,145
AF45A.H/H.03	1,600kg	5/66/165.1	■ 45mm	1,500mm	R 3,355
AF45A.H/H	1,600kg	Optional	■ 45mm	1,576 to 1,805mm	R 3,230
AF45A.H/H.03	1,600kg	5/66/165.1	■ 45mm	1,675mm	R 3,355
AF45A.H/H	1,600kg	Optional	■ 45mm	1,806 to 1,850mm	R 3,250
AF45A.H/H	1,600kg	Optional	■ 45mm	1,851 to 1,940mm	R 3,280
AF45A.H/H	1,600kg	Optional	■ 45mm	1,941 to 2,040mm	R 3,355
AF45A.H/H	1,600kg	Optional	■ 45mm	2,041 to 2,100mm	R 3,490
AF45A.H/H	1,600kg	Optional	■ 45mm	2,101 to 2,200mm	R 3,565
AF45A.H/H	1,600kg	Optional	■ 45mm	2,201 to 2,240mm	R 3,595
AF45A.H/H	1,600kg	Optional	■ 45mm	2,241 to 2,350mm	R 3,775



AF40A



AF45A

When two axles are to be used in tandem, the order must state it.
Where two axles are used in tandem without a load sharing mechanism, the carrying capacity of the combination is reduced by 17%.

Full Beam Axles

Without Brakes

Stock Code	Load Capacity	Hub	Beam	H/H	Price Each
AF50A.H/H	2,500kg	Optional	50mm	Up to 1,740mm	R 3,985
AF50A.H/H	2,500kg	Optional	50mm	1,741 to 1,800mm	R 4,015
AF50A.H/H	2,500kg	Optional	50mm	1,801 to 1,950mm	R 4,175
AF50A.H/H	2,500kg	Optional	50mm	1,951 to 2,050mm	R 4,385
AF50A.H/H	2,500kg	Optional	50mm	2,051 to 2,140mm	R 4,490
AF50A.H/H	2,500kg	Optional	50mm	2,141 to 2,400mm	R 4,650
AF55A.H/H	3,000kg	Optional	55mm	1,365 to 1,675mm	R 4,510
AF60A.H/H.05	4,000kg	6/160/205	60mm	Up to 1,700mm	R 6,715
AF60A.H/H.05	4,000kg	6/160/205	60mm	1,830mm	R 7,135
AF60A.H/H.05	4,000kg	6/160/205	60mm	2,090mm	R 6,825
AF60A.H/H.05	4,000kg	6/160/205	60mm	2,100mm	R 7,165
AF70A.H/H.05	6,000kg	6/160.8/205	70mm	1,320 to 1,675mm	R 7,345
AF70A.H/H.05	6,000kg	6/160.8/205	70mm	1,800 to 2,050mm	R 7,950



AF55A



AF70A

When two axles are to be used in tandem, the order must state it.
Where two axles are used in tandem without a load sharing mechanism, the carrying capacity of the combination is reduced by 17%.

Full Beam Axles

With Brakes

Stock Code	Load Capacity	Hub	Beam	Brake	Brake Capacity	H/H	Price Each
AFC45A.H/H	1,600kg	Optional	■ 45mm	200x50	1,600kg	Up to 1,500mm	R 6,190
AFC45A.H/H	1,600kg	Optional	■ 45mm	200x50	1,600kg	1,501 to 1,675mm	R 6,295
AFC45A.H/H	1,600kg	Optional	■ 45mm	200x50	1,600kg	1,676 to 1,740mm	R 6,505
AFC45A.H/H	1,600kg	Optional	■ 45mm	200x50	1,600kg	1,741 to 1,965mm	R 6,610
AFC45A.H/H	1,600kg	Optional	■ 45mm	200x50	1,600kg	1,966 to 2,200mm	R 6,715
AFC45A.H/H	1,600kg	Optional	■ 45mm	200x50	1,600kg	2,201 to 2,360mm	R 6,820
AFC50B.H/H	1,800kg	Optional	■ 50mm	250x40	1,800kg	Up to 1,570mm	R 8,975
AFC50B.H/H	1,800kg	Optional	■ 50mm	250x40	1,800kg	1,571 to 1,900mm	R 9,340
AFC50B.H/H	1,800kg	Optional	■ 50mm	250x40	1,800kg	1,901 to 1,980mm	R 9,655
AFC50B.H/H	1,800kg	Optional	■ 50mm	250x40	1,800kg	1,981 to 2,240mm	R 9,865
AFC50B.H/H	1,800kg	Optional	■ 50mm	250x40	1,800kg	2,241 to 2,320mm	R 10,075
AFC50A.H/H	2,500kg	Optional	■ 50mm	250x50	2,500kg	Up to 1,940mm	R 9,865
AFC50A.H/H	2,500kg	Optional	■ 50mm	250x50	2,500kg	1,941 to 2,350mm	R 10,495
AFC55A.H/H	3,000kg	Optional	■ 55mm	250x50	2,500kg	Up to 2,300mm	R 11,020
AFC60A.H/H	3,500kg	6/160.8/205	■ 60mm	305x80	3,500kg	Up to 2,100mm	R 24,780



AFC45A



AFC55A

When two axles are to be used in tandem, the order must state it.
Where two axles are used in tandem without a load sharing mechanism, the carrying capacity of the combination is reduced by 17%.

Full Beam Axles

Without Brakes

Stock Code	Load Capacity	Hub	Beam	H/H	Price Each
AF55A.H/H	3,000kg	Optional	■ 55mm	Up to 1,675mm	R 4,510
AF60A.H/H.05	4,000kg	6/160.8/205	■ 60mm	Up to 1,700mm	R 6,715
AF60A.H/H.05	4,000kg	6/160.8/205	■ 60mm	1,701 to 1,830mm	R 7,135
AF60A.H/H.05	4,000kg	6/160.8/205	■ 60mm	2,090mm	R 6,825
AF60A.H/H.05	4,000kg	6/160.8/205	■ 60mm	2,091 to 2,100mm	R 7,165
AF70A.H/H.05	6,000kg	6/160.8/205	■ 70mm	Up to 1,675mm	R 7,345
AF70A.H/H.05	6,000kg	6/160.8/205	■ 70mm	1,676 to 2,050mm	R 7,950
AF80C	8,000kg	8/220/275	■ 80mm	1,800mm	R 13,960
AF80C	8,000kg	8/220/275	■ 80mm	2,150mm	R 13,120
AF90C	10,000kg	10/275/335	■ 90mm	1,800mm	R 18,370
AF100C.H/H	14,000kg	10/275/335	■ 100mm	Up to 1,850mm	R 22,460
AF100C.H/H	14,000kg	10/275/335	■ 100mm	1,851 to 2,050mm	R 23,725
AF100C.H/H	14,000kg	10/275/335	■ 100mm	2,051 to 2,200mm	R 23,830
AF100C.H/H	14,000kg	10/275/335	■ 100mm	2,201 to 2,250mm	R 24,040
AF100C.H/H	14,000kg	10/275/335	■ 100mm	2,251 to 2,300mm	R 24,145
AF100C.H/H	14,000kg	10/275/335	■ 100mm	2,301 to 3,300mm	R 26,875
AF127C.H/H	17,000kg	10/275/335	Ø 127mm	Up to 2,050mm	R 24,145
AF127C.H/H	17,000kg	10/275/335	Ø 127mm	2,051 to 2,200mm	R 24,460
AF127C.H/H	17,000kg	10/275/335	Ø 127mm	2,201 to 2,300mm	R 24,775
AF150C.H/H	17,000kg	10/275/335	■ 150mm	Up to 2,200mm	R 37,060
AF150C.H/H	17,000kg	10/275/335	■ 150mm	2,201 to 2,300mm	R 37,270

Full Beam Axles

With Brakes - Burquip (Flat Cam)

Stock Code	Load Capacity	Hub	Beam	H/H	Brake Size	Price Each
AFB70C.1800.AM	6,000kg	6/160.8/205	70mm	1,800mm	300x60	R 13,400
AFB80C.1800.06.AM	8,000kg	8/220/275	80mm	1,800mm	300x90	R 18,785
AFB80C.2150.06.AM	8,000kg	8/220/275	80mm	2,150mm	300x90	R 19,835
AFB90C.1800.10.AM	10,000kg	10/275/335	90mm	1,800mm	400x80	R 26,260
AFB90C.1900.10.AM	10,000kg	10/275/335	90mm	1,900mm	400x80	R 26,260
AFB100C.2050.10.AM	14,000kg	10/275/335	100mm	2,050mm	400x80	R 26,250
AFB100C.2200.10.AM	14,000kg	10/275/335	100mm	2,200mm	400x80	R 27,300

Full Beam Axles

With Brakes - ADR (Flat Cam)

Stock Code	Load Capacity	Hub	Beam	H/H	Brake Size	Price Each
AFB70C.1700.ADR	6,000kg	6/160.8/205	70mm	1,700mm	300x60	R 14,695
AFB70C.1800.ADR	6,000kg	6/160.8/205	70mm	1,800mm	300x60	R 15,325
AFB80C.1800.06.ADR	8,000kg	8/220/275	80mm	1,800mm	300x90	R 22,045
AFB80C.2150.06.ADR	8,000KG	8/220/275	80mm	2,150mm	300x90	R 22,045
AFB90C.1800.10.ADR	10,000kg	10/275/335	90mm	1,800mm	400x80	R 28,975
AFB100C.2050.10	14,000kg	10/275/335	100mm	2,050mm	400x80	R 35,170
AFB100C.2200.10	14,000kg	10/275/335	100mm	2,200mm	400x80	R 34,225



AFB70C.1700.ADR



AFB100C.2050.10

Prices excludes brake cable.

Full Beam Axles

With Brakes (S-Cam)

Stock Code	Load Capacity	Hub	Beam	H/H	Brake Size	Price Each
AFB70AS6 Includes Manual Slack Adjusters	3,500kg	6/160.8/205 Stud Mount	■ 70mm	1,820mm Special On Request	310x80	R 22,045
AFB70AS6A Includes Automatic Slack Adjusters	3,500kg	6/160.8/205	■ 70mm	1,820mm Special On Request	310x80	POR
AFB70AS6ABS Includes ABS, Automatic Slack Adjusters	3,500kg	6/160.8/205 Stud Mount	■ 70mm	1,820mm Special On Request	310x80	R 27,295
AFB80CS8ABS Includes ABS, Automatic Slack Adjusters	5,000kg	8/220/275 Stud Mount	■ 80mm	1,820mm	300x135	R 28,870
AFB80CS8ABS.2150 Includes ABS, Automatic Slack Adjusters	5,000kg	8/220/275 Stud Mount	■ 80mm	2,150mm	300x135	R 29,395
AFB127CS10.1920 Includes Automatic Slack Adjusters	13,000kg	10/280/335 Spigot Mount	Ø 127mm	1,920mm	420x180	R 38,845
AFB127CS10ABS.1920 Includes ABS, Automatic Slack Adjusters	13,000kg	10/280/335 Spigot Mount	Ø 127mm	1,896mm	420x180	R 39,895

Optional Extras





Stock Code	Description	Price Each
M22WS.122	Longer studs for aluminium rim fitment (20 required per axle)	R 81



AFB127CS10ABS.1920

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)

Transmission Components

Image	Stock Code	Description	Price
	**BC02**	Equaliser Bracket Single	R90
	**BC01**	Equaliser Bracket Tandem	R221
		*Bell Inside Diameter: 18.5mm*	
	BCK1140	Brake Cable 1,140mm Steel	R225
	BCK1440	Brake Cable 1,440mm Steel	R225
	BCK1740	Brake Cable 1,740mm Steel	R225
		*Bell Inside Diameter: 18.5mm*	
	BCK1140S	Brake Cable 1,140mm Stainless Steel	R345
	BCK1440S	Brake Cable 1,440mm Stainless Steel	R345
	BCK1740S	Brake Cable 1,740mm Stainless Steel	R345
		*AL-KO Spare Part / Bell ID: 23.5mm*	
	BCALK1120	Brake Cable 1,120mm Steel	R225
	BCALK1350	Brake Cable 1,350mm Steel	R225
	BCALK1650	Brake Cable 1,650mm Steel	R225
		*160/200/250gsm / Bell ID: 20.0mm*	
	BCK1168	Brake Cable 1,168mm Steel	R325
	BCK1468	Brake Cable 1,468mm Steel	R325
	BCK1745	Brake Cable 1,745mm Steel	R345
	**M10RB**	M10 Threaded Rod (3 Meter Lengths Only)	R120
	**BCP01R**	Brake Cable Plate - Single	R18
	BCP02R	Brake Cable Plate - Tandem	R111

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Image	Stock Code	Description	Price
	**M10X36DN**	Dome nut	R 31
	**CHBL01**	Hand brake lever	R 920

Bearing Kits

Kit	Components	Description	Qty	ID (mm)	OD (mm)	Grease Cap (i)	Application	Price Each
BKIT01	B30204	Bearing 30204	1	20.0	47.0	Ø47mm	Burquip: AF40A AF38A	R174
	B30205	Bearing 30205	1	25.0	52.0			
	OS30-52-7	Seal 30-52-7	1	30.0	52.0			
	M3.2X36SP	Split Pin 3.2x36	1	-	-			
BKIT02	B30205	Bearing 30205	1	25.0	52.0	Ø52mm	Burquip: AF/AFC45A Pre-2010 AF/AFC40A-1 AF/AFC38A-1	R225
	B30206	Bearing 30206	1	30.0	62.0			
	OS38-62-7	Seal 38-62-7	1	38.0	62.0			
	M3.2X36SP	Split Pin 3.2x36	1	-	-			
BKIT03	B30206	Bearing 30206	1	30.0	62.0	Ø62mm	Burquip: AF/AFC50A AF/AFC55A AFC50E	R310
	B30208	Bearing 30208	1	40.0	80.0			
	OS48-80-10	Seal 48-80-10	1	48.0	80.0			
	M4X40SP	Split Pin 4x40	1	-	-			
BKIT04	B30205	Bearing 30205	1	25.0	52.0	Ø52mm	Burquip: AF/AFC45A Post-2010 AF50C AFC50B	R260
	B32007	Bearing 32007	1	35.0	62.0			
	OS42-62-7	Seal 42-62-7	1	42.0	62.0			
	M3.2X36SP	Split Pin 3.2x36	1	-	-			
BKIT05	B44649\10	Bearing 44610/49	1	27.0	50.0	Ø50mm	Venter: 40mm Unbraked Axle 4/100 Rubax: Rheno Hub	R265
	B67048\10	Bearing 67048/10	1	31.7	59.1			
	OS40-60-10	Seal 40-60-10	1	40.0	60.0			
	M4X40SP	Split Pin 4x40	1	-	-			
BKIT06	B44649\10	Bearing 44610/49	2	27.0	50.0	Ø50mm	Venter: 40mm Square Unbraked 4/100 Mini Hub	R190
	OS38-52-7	Seal 38-52-7	1	38.0	52.0			
	M4X40SP	Split Pin 4x40	1	-	-			

Kit	Components	Description	Qty	ID (mm)	OD (mm)	Grease Cap (i)	Application	Price Each
BKIT07	B11749\10	Bearing 11749/10	1	17.0	40.0	Ø48mm	Trailco: 40mm Braked Axle 40mm Unbraked Axle	R195
	B45449\10	Bearing 45449/10	1	29.0	50.3			
	OS38-52-7	Seal 38-52-7	1	38.0	52.0			
	M3.2X36SP	Split Pin 3.2x36	1	-	-			
BKIT08	B11949\10	Bearing 11949/10	1	19.0	45.2	Ø48mm	Trailco: 45mm Braked/ Unbraked Axle 5/114.3 or 4/100	R205
	B67048\10	Bearing 67048/10	1	31.7	59.1			
	OS42-62-7	Seal 42-62-7	1	42.0	62.0			
	M3.2X36SP	Split Pin 3.2x36	1	-	-			
BKIT09	B32005	Bearing 32005	1	25.0	47.0	Ø48mm	Trailco: 45mm Braked 6/139.7 50mm Round Unbraked & Braked Axle Short Nose	R240
	B32007	Bearing 32007	1	35.0	62.0			
	OS42-62-7	Seal 42-62-7	1	42.0	6.0			
	M4X40SP	Split Pin 4x40	1	-	-			
BKIT10	B32006	Bearing 32006	1	30.0	55.0	Ø55mm	Trailco: 50mm Square Unbraked & Braked Axle Long Nose	R310
	B32008	Bearing 32008	1	40.0	68.0			
	OS45-72-10	Seal 45-72-10	1	45.0	72.0			
	M3.2X36SP	Split Pin 3.2x36	1	-	-			
BKIT11	B44649\10	Bearing 44610/49	1	26.9	50.2	Ø50mm	Venter: 45SQ	R310
	B48548\10	Bearing 48548/10	1	34.9	65.0			
	OS50-65-8	Seal 50-65-8	1	50.0	65.0			
	M4X40SP	Split Pin 4x40	1	-	-			
BKIT12	B30208	Bearing 30208	1	40.0	80.0	Ø80mm	AF60A	R405
	B30211	Bearing 30211	1	55.0	100.0			
	OS70-100-13	Seal 70-100-13	1	70.0	100.0			
	M5X70SP	Split Pin 5x70	1	-	-			
BKIT13	B30209	Bearing 30209	1	45.0	85.0	Ø85mm	AF70A	R435
	B30212	Bearing 30212	1	60.0	110.0			
	OS68-110-13	Seal 68-110-13	1	68.0	110.0			
	M5X70SP	Split Pin 5x70	1	-	-			

High Speed Trailer & Caravan Wheels

10" Rims

Stock Code	Type	Description	Stud Fixing	Off Set	Price
W10-4.5B-01	4.5B x 10	White Spoked (SDC)	4/67/100	-5mm	R615



W10-4.5B-01

High Speed Trailer & Caravan Wheels

13" Rims

Stock Code	Type	Description	Stud Fixing	Off Set	Price
W13-4.5J-01I	4.5J x 13	White Spoked (SDC)	4/67/100	0mm	R520
W13-4.5J-01IB	4.5J x 13	Black Spoked (SDC)	4/67/100	0mm	R520
W13-4.5J-02I	4.5J x 13	White Spoked (SDC)	5/72.5/114.3	0mm	R520
W13-4.5J-01G	4.5J x 13	Galvanised Spoked (SDC)	4/67/100	0mm	R760
W13-4.5J-01IS	4.5J x 13	Silver Spoked (SDC)	4/67/100	0mm	R520



W13-4.5J-02I

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)

High Speed Trailer & Caravan Wheels

14" Rims

Stock Code	Type	Description	Stud Fixing	Off Set	Price
W14-6.0J-01I	6.0J x 14	White Spoked (SDC)	4/67/100	14mm	R710
W14-6.0J-01G	6.0J x 14	Galvanised Spoked (SDC)	4/67/100	14mm	R975
W14-6.0J-02I	6.0J x 14	White Spoked (SDC)	5/83.5/114.3	14mm	R710
W14-6.0J-02IB	6.0J x 14	Black Spoked (SDC)	5/83.5/114.3	14mm	R710
W14-6.0J-02IS	6.0J x 14	Silver Spoked (SDC)	5/83.5/114.3	14mm	R710
W14-6.0J-02G	6.0J x 14	Galvanised Spoked (SDC)	5/83.5/114.3	14mm	R975
W14-6.0J-04I	6.0J x 14	White Spoked (SDC)	6/108.9/139.7	14mm	R710
W14-6.0J-04IB	6.0J x 14	Black Spoked (SDC)	6/108.9/139.7	14mm	R710
W14-6.0J-04G	6.0J x 14	Galvanised Spoked (SDC)	6/108.9/139.7	14mm	R975

High Speed Trailer & Caravan Wheels

15" Rims

Stock Code	Type	Description	Stud Fixing	Off Set	Price
W15-7.0J-02I	7.0J x 15	White Spoked (SDC)	5/83.5/114.3	3mm	R975
W15-7.0J-04I	7.0J x 15	White Spoked (SDC)	6/108.9/139.7	0mm	R975
W15-7.0J-04G	7.0J x 15	Galvanised Spoked (SDC)	6/108.9/139.7	0mm	R1,360
W15-7.0J-04IB	7.0J x 15	Black Spoked (SDC)	6/108.9/139.7	0mm	R975
W15-7.0J-04IS	7.0J x 15	Silver Spoked (SDC)	6/108.9/139.7	0mm	R975

High Speed Trailer & Caravan Wheels

16" Rims

Stock Code	Type	Description	Stud Fixing	Off Set	Price
W16-7.0J-04I	7.0J x 16	White Spoked (SDC)	6/108.9/139.7	5mm	R 1,340
W16-7.0J-04IS	7.0J x 16	Silver Spoked (SDC)	6/108.9/139.7	5mm	R 1,340
W16-5.5B-03	5.5B x 16	Black Solid (SDC)	5/110/165.1	0mm	R 1,360
W16-6.0G-03C	6.0G x 16	2 Piece (SDC)	5/110/165.1	0mm	R 1,675
W16-6.0G-05DC	6.0G x 16	2 Piece Dual (SDC)	6/161/205	130mm	R 1,675
W16-6.5H-05C	6.5H x 16	2 Piece (SDC)	6/161/205	0mm	R 2,290
W16-7.0-05C	7.0 x 16	2 Piece (Flatbase)	6/161/205	0mm	R 2,390
W16-7.0-06C	7.0 x 16	2 Piece (Flatbase)	8/221/275	0mm	R 2,390



W16-5.5B-03



W16-6.0G-05DC



W16-6.5H-05C



W16-7.0-06C

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)

High Speed Trailer & Caravan Wheels

17.5" Rims

Stock Code	Type	Description	Stud Fixing	Off Set	Price
W17.5-6.75-05I	6.75 x 17.5	SDC	6/161/205	0mm	R 2,995
W17.5-6.75HC-06I	6.75 x 17.5	Dual SDC	8/221/275	143mm	R 1,449



W17.5-6.75-05

High Speed Trailer & Caravan Wheels

20" Rims

Stock Code	Type	Description	Stud Fixing	Off Set	Price
W20-7.5V-05C	7.5V x 20	2 Piece (Flatbase)	6/161/205	0mm	R 2,665
W20-7.5V-06C	7.5V x 20	2 Piece (Flatbase)	8/221/275	0mm	R 2,665



W20-7.5V-05C



W20-7.5V-06C

High Speed Trailer & Caravan Wheels

22.5" Rims

Stock Code	Type	Description	Stud Fixing	Off Set	Price
W22.5-9.00-10	9.00 x 22.5	Spigot Mount Dual SDC	10/281/335	175mm	R 2,740
W22.5-9.00-10T	9.00 x 22.5	Stud Mount Dual SDC	10/281/335	175mm	R 2,250
W22.5-11.75-10	11.75 x 22.5	Super Single (SDC)	10/281/335	0mm	R 3,675



W22.5-9.00-10



W22.5-11.75-10

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)

Rim & Tyre Combos

13" Combos

Stock Code	Tyre Size	Rim Description	Ply Rating	Load Rating	Overall Ø	Stud Fixing	Price
WT13-155-01	155/80 x 13	4.5J x 13 White	6	437kg	578mm	4/67/100	R 1,150
WT13-155-01G	155/80 x 13	4.5J x 13 Galvanised	6	437kg	578mm	4/67/100	R1,330
WT13-155-02	155/80 x 13	4.5J x 13 White	6	437kg	578mm	5/72.5/114.3	R 1,150



WT13-155-01



WT13-155-02

Rim & Tyre Combos

14" Combos

Stock Code	Tyre Size	Rim Description	Ply Rating	Load Rating	Overall Ø	Stud Fixing	Price
WT14-195-01	195R14C	6.0J x 14 White	8	900kg	668mm	4/67/100	R 1,990
WT14-195-02	195R14C	6.0J x 14 White	8	900kg	668mm	5/83.5/114.3	R 1,990
WT14-195-02G	195R14C	6.0J x 14 Galvanised	8	900kg	668mm	5/83.5/114.3	R 2,180
WT14-195-04	195R14C	6.0J x 14 White	8	900kg	668mm	6/108.9/139.7	R 1,990
WT14-195-04G	195R14C	6.0J x 14 Galvanised	8	900kg	668mm	6/108.9/139.7	R 2,180



WT14-195-01

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)

Rim & Tyre Combos

15" Combos

Stock Code	Tyre Size	Rim Description	Ply Rating	Load Rating	Overall Ø	Stud Fixing	Price
WT15-225-04G	225/70R15C	7.0J x 15 Galvanised	8	1,120kg	697mm	6/108.9/139.7	R 2,705
WT15-225-04	225/70R15C	7.0J x 15 White	8	1,120kg	697mm	6/108.9/139.7	R 2,410



WT15-225-04

Rim & Tyre Combos

15" Combos

Stock Code	Tyre Size	Rim Description	Ply Rating	Load Rating	Overall Ø	Stud Fixing	Price
WT16-7.50-6.5H-05	7.50 x 16	6.5H x 16 Black 2PC	12	1,400kg	808mm	6/161/205	R 3,540
WT16-7.50-6.0G-03	7.50 x 16	6.0G x 16 Black 2 PC	12	1,400kg	808mm	5/110/165.1	R 3,380



WT16-7.50-6.5H-05

Agricultural Tractor & Implement Wheels

14" Rims

Stock Code	Type	Description	Stud Fixing	Off Set	Price
W14-5.0J-03L	5.0J x 14	SDC	5/110/165.1	0mm	R 1,165



W14-5.0J-03L

Agricultural Tractor & Implement Wheels

15" Rims

Stock Code	Type	Description	Stud Fixing	Off Set	Price
W15-6.0J-03L	6.0J x 15	SDC	5/110/165.1	0mm	R 1,445
W15-8.0W-03L	8.0W x 15	SDC	5/110/165.1	0mm	R 1,870
W15-8.0W-05L	8.0W x 15	SDC	6/161/205	0mm	R 1,870



W15-6.0J-03L



W15-8.0W-03L

Agricultural Tractor & Implement Wheels

15.5" Rims

Stock Code	Type	Description	Stud Fixing	Off Set	Price
W15.5-13.0-05L	13.0 x 15.5	SDC	6/161/205	0mm	R 3,539



W15-8.0W-03L

Agricultural Tractor & Implement Wheels

16" Rims

Stock Code	Type	Description	Stud Fixing	Off Set	Price
W16-8.0W-05L	8.0W x 16	SDC	6/161/205	0mm	R 2,200



W16-8.0W-05L

Agricultural Tractor & Implement Wheels

18" Rims

Stock Code	Type	Description	Stud Fixing	Off Set	Price
W18-9.0-05L	9.0 X 18	SDC	6/161/205	0mm	R 2,410
W18-11.0-05L	11.0 x 18	SDC	6/161/205	0mm	R 2,935
W18-11.0-06L	11.0 x 18	SDC	8/221/275	0mm	R 3,145



W18-11.0-05L



W18-11.0-06L

Hydraulic Cylinders

Base Pin Mounted Cylinders (Tipping)

Stock Code	Thrust (100 bar)	Stages	Closed Centers	Stroke	Pin Hole Ø	Barrel Ø	Price Each
DW365	7.3 / 4.6 / 3.1	3	924mm	1,993mm	25.80mm	105mm	R10,495
DW385	9.3 / 6.3	2	914mm	1,403mm	32.50mm	120mm	R9,340

Hydraulic Cylinders

Base Pin Mounted Cylinders (Tipping) - Chromed


Stock Code	Thrust (100 bar)	Stages	Closed Centers	Stroke	Pin Hole Ø	Barrel Ø	Price Each
DW265CL	6.4 / 3.9	2	673mm	969mm	25.80mm	105mm	R7,345
DW345CL	6.4 / 3.9	2	876mm	1,375mm	25.80mm	105mm	R8,395
DW365CL	6.4 / 3.9 / 2	3	924mm	1,993mm	25.80mm	105mm	R11,545
DW385CL	8 / 5.1	2	914mm	1,403mm	32.50mm	120mm	R10,495
DW626CL	9.3 / 6.3	2	775mm	1,075mm	32.50mm	120mm	R12,500
DW1111CL	13 / 9 / 5	3	1,245mm	2,821mm	32.50mm	120mm	R19,300



Tipping Gear

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)

Base Pin Mounted Cylinders (Tipping)




Piston Diameters & Thrust at 100 bar

Stock Code	Stages	Ø60.30 3180kg	Ø69.85 3905kg	Ø76.20 4650kg	Ø88.90 6325kg	Ø95.25 7365kg	Ø107.95 9330kg	Mass	Oil Vol	Seal Kit Code	ØB (mm)	C1 (mm)	ØD (mm)	F (mm)	H (mm)	N (mm)	ØJ (mm)	L1	M	R
DW265	2		●			●		24.5kg	4.5l	DWSK265	44.45	673	25.8	20	19	45	105	712	1/2"	695
DW345	2		●			●		31.0kg	7.6l	DWSK265	44.45	876	25.8	20	19	45	105	915	1/2"	898
DW365	3	●		●		●		38.0kg	9.8l	DWSK365	44.45	924	25.8	20	19	72	105	963	1/2"	946
DW626C	2				●		●	38.0kg	8.4l	DWSK626	50.80	775	32.5	22	22	75	120	819	1/2"	938
DW385	2				●		●	41.0kg	10.9l	DWSK626	50.80	914	32.5	22	22	50	120	958	1/2"	800
DW1111C	3		●		●		●	43.2kg	18.6l	DWSK1111	50.00	1,245	31.75	22	22	109	120	1,289	1/2"	1,268

Note: Maximum Pressure 180Bar

Base Pin Mounted Cylinders (Tipping)



Piston Diameters & Thrust at 100 bar

Stock Code	Stages	Ø50 2,000kg	Ø70 3,920kg	Ø60 2,880kg	Ø80 5,120kg	Ø90 6,484kg	Ø100 8,000kg	Mass	Oil Vol	Seal Kit Code	ØB(mm)	C1 (mm)	ØD (mm)	F (mm)	H (mm)	N (mm)	ØJ (mm)	L1	M	R
DW265CL	2		●			●		25.8kg	4.5l	DWSK265L	44.45	673	25.8	20	19	45	105	712	1/2"	695
DW345CL	2		●			●		32.8kg	7.6l	DWSK265L	44.45	876	25.8	20	19	45	105	915	1/2"	898
DW365CL	3	●	●			●		40.8kg	9.8l	DWSK365L	44.45	924	25.8	20	19	72	105	963	1/2"	946
DW385CL	2							44.1kg	10.9l	DWSK626L	50.80	914	32.5	22	22	50	120	958	1/2"	800
DW626CL	2				●		●	38.0kg	8.4l	DWSK626L	50.80	775	32.5	22	22	75	120	819	1/2"	938
DW1111CL	3			●	●		●	43.2kg	16l	DWSK1111L	50.80	1,245	32.5	22	22	109	120	1,289	1/2"	1,268

Note: Maximum Pressure 210Bar

Center Trunnion Mounted Cylinders (Tipping)

Stock Code	Thrust (100 bar)	Stages	Stroke	Trunnions	Price Each
DD3032G	6/4/2	3	700mm	DDT35	R 8,920
DD3044G	8/6/4/2	4	1,050mm	DDT40	R 12,490
DD3047G	8/6/4/2	4	1,510mm	DDT40	R 13,435
DD3055G	12/8/6/4/2	5	2,150mm	DDT45	R 19,945
DD4050G	16/12/8/6/3	5	1,900mm	DDT50	R 26,245
DD4052G	21/16/12/8/6	5	2,100mm	DDT50	R 32,545

Center Trunnion Mounted Cylinders - Chrome (Tipping)

Stock Code	Thrust (100 bar)	Stages	Stroke	Trunnions	Price Each
DD3032LG	6/4/2	3	683mm	DDT35L	R 6,400
DD3044LG	8/6/4/2	4	1,050mm	DDT40L	R 8,605
DD3047LG	8/6/4/2	4	1,510mm	DDT40L	R 9,970
DD3055LG	12/8/6/4/2	5	2,130mm	DDT45L	R 13,225
DD4050LG	16/12/8/6/3	5	1,870mm	DDT50L	R 17,425

Notes:


Maximum operating pressure: 180 bar (2600PSI).
Prices include two (2) trunnion brackets.
Guarantee only valid if cylinder is used with a cradle.

Cradles for Center Trunnion Mounted Cylinders (Tipping)

	SUPPORTED CYLINDERS							
Stock Code	DD3032	DD3044	DD3047	DD3055	DD4050	DD4052	Trunnions	Price Each
DDC2	●						DDT40	R 2,515
DDC3		●	●				DDT40	R 2,620
DDC4				●			DDT50	R 3,355
DDC5					●		DDT50	R 7,975
DDC6						●	DDT50	R 9,235


Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)

Center Trunnion Mounted Cylinders (Tipping): Specifications




Stock Code	Mass	Oil Vol.	Ball Joint Code	Hyd. Fitt. Code	Seal Kit Code	Cradle Code	Trunnion Code	Individual Stage Length
DD3032	26.0kg	3.3L	DDBJ55	DDHF1/2	DDSK3032	DDC2	DDT35	300mm
DD3044	33.5kg	6.2L	DDBJ55	DDHF1/2	DDSK3044/47	DDC3	DDT40	335mm
DD3047	43.0kg	8.8L	DDBJ55	DDHF1/2	DDSK3044/47	DDC3	DDT40	450mm
DD3055	67.0kg	15.5L	DDBJ55	DDHF1/2	DDSK3055	DDC4	DDT45	500mm
DD4050	81.5kg	18.2L	DDBJ65	DDHF3/4	DDSK4050/51	DDC5	DDT50	450mm
DD4052	94.5kg	28.2L	DDBJ65	DDHF3/4	DDSK4052	DDC6	DDT50	500mm

Center Trunnion Mounted Cylinders (Tipping)




Stock Code	ØA (mm)	ØB (mm)	C1 (mm)	ØD (mm)	E (mm)	F (mm)	ØG (mm)	H (mm)	ØJ (mm)	ØK (mm)	L1 (mm)	M BSP GAS	R (mm)
DD3032	95	55	147	35	40	250	135	55	112	128	397	1/2"	260
DD3032L	95	55	147	35	40	250	135	55	112	128	397	1/2"	260
DD3044	95	55	157	40	40	280	150	55	124	144	437	1/2"	290
DD3044L	95	55	157	40	40	280	150	55	124	144	437	1/2"	290
DD3047	95	55	157	40	40	395	150	55	124	144	552	1/2"	405
DD3047L	95	55	157	40	40	395	150	55	124	144	552	1/2"	405
DD3055	95	55	165	45	45	445	175	55	152	172	610	1/2"	455
DD3055L	95	55	165	45	45	445	170	55	152	172	610	1/2"	455
DD4050	107	65	245	50	45	320	210	60	170	200	565	3/4"	335
DD4050L	107	65	245	50	45	320	210	60	170	200	565	3/4"	335
DD4052	107	65	245	50	45	370	230	60	190	220	615	3/4"	390
DD4052L	107	65	245	50	45	370	230	60	190	220	615	3/4"	390

Center Trunnion Mounted Cylinders (Tipping): Specifications



Stock Code	Stages	Stroke	Piston Diameters (mm) & Thrust at 180 bar									
			Ø61 52000kg	Ø68 65000kg	Ø76 81000kg	Ø88 109000kg	Ø91 117000kg	Ø107 161000kg	Ø126 224000kg	Ø145 297000kg	Ø165 384000kg
DD3032	3	683mm	●		●		●				
DD3044	4	1050mm	●		●		●	●			
DD3047	4	1510mm	●		●		●	●			
DD3055	5	2130mm	●		●		●	●	●		
DD4050	5	1870mm		●		●		●	●	●	
DD4052	5	2100mm				●		●	●	●	●

Cradles for Center Trunnion Mounted Cylinder (Tipping)




Stock Code	A (mm)	B (mm)	B tot (mm)	C (mm)	ØD (mm)	E (mm)	F (mm)	ØG (mm)	H	ØCil. (mm)	Load	Mass
DDC2	230	135	195	97	35	28	40	40	30°	112	10T	9.0kg
DDC3	230	155	215	107	40	31	40	40	30°	121	16T	10.5kg
DDC4	230	185	240	125	45	40	45	50	30°	150	20T	15.0kg
DDC5	330	215	290	165	50	45	55	50	30°	170	22T	22.0kg
DDC6	330	235	310	205	50	65	55	50	30°	190	23T	29.0kg


Hydraulic Cylinder Assembly

Stock Code	Description	Price Each
DC366	Hydraulic brake cylinder for axle braking - low speed	R 1,544
DC366C	Brake Ram Only - 30mm Rod	R 985

NOTES:

The cylinder should be parallel ± 5° to the base plate when connected to the brake lever of the axle in order to achieve the correct spring preload.








DC366




DC366C

Ball & Socket Tipping Joint

Stock Code	Max Load	ØA (mm)	ØB (mm)	ØC (mm)	D	E	Tipping Angle	Price Each
DTBS01	5,000kg	77.5	104	66	69	45	55° (normal)	R 1,166



1. To tip conventionally remove pins A & B.
2. To tip to the left remove pins B & D.
3. To tip to the right remove pins A & C.



Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Tie-Rod Cylinders

Stock Code	Description	Price Each
DC2-2006TR	Tie-Rod Cylinder - 2006TR	R 1,615
DC2-2008-ASAE-TR	Tie-Rod Cylinder - 2008-ASAE-TR	R 1,735
DC2-2010TR	Tie-Rod Cylinder - 2010TR	R 1,735
DC2-2012TR	Tie-Rod Cylinder - 2012TR	R 1,890
DC2-2014TR	Tie-Rod Cylinder - 2014TR	R 1,945
DC2-2016TR	Tie-Rod Cylinder - 2016TR	R 1,995
DC2-2018TR	Tie-Rod Cylinder - 2018TR	R 2,105
DC2-2020TR	Tie-Rod Cylinder - 2020TR	R 2,175
DC2-2024TR	Tie-Rod Cylinder - 2024TR	R 2,270
DC2-3006TR	Tie-Rod Cylinder - 3006TR	R 1,990
DC2-3008-ASAE-TR-1.5	Tie-Rod Cylinder - 3008-ASAE-TR	R 2,395
DC2-3010TR-1.5	Tie-Rod Cylinder - 3010TR	R 2,355
DC2-3012TR-1.5	Tie-Rod Cylinder - 3012TR	R 2,505
DC2-3014TR-1.5	Tie-Rod Cylinder - 3014TR	R 2,520
DC2-3016TR-1.5	Tie-Rod Cylinder - 3016TR	R 2,660
DC2-3018TR-1.5	Tie-Rod Cylinder - 3018TR	R 2,905
DC2-3020TR-1.5	Tie-Rod Cylinder - 3020TR	R 3,110
DC2-3024TR-1.5	Tie-Rod Cylinder - 3024TR	R 3,205
DC2-3028TR	Tie-Rod Cylinder - 3028TR	R 3,430
DC2-3030TR	Tie-Rod Cylinder - 3030TR	R 3,500
DC2-3036TR	Tie-Rod Cylinder - 3036TR	R 3,915
DC2-4008-ASAE-TR	Tie-Rod Cylinder - 4008-ASAE-TR	R 3,145
DC2-4010TR	Tie-Rod Cylinder - 4010TR	R 3,565
DC2-4012TR-2	Tie-Rod Cylinder - 4012TR	R 3,775
DC2-4014TR	Tie-Rod Cylinder - 4014TR	R 3,565
DC2-4016TR	Tie-Rod Cylinder - 4016TR	R 3,775

Tie-Rod Cylinders

Stock Code	Description	Price Each
DC2-4018TR	Tie-Rod cylinder - 4018TR	R 4,305
DC2-4020TR	Tie-Rod cylinder - 4020TR	R 4,090
DC2-4024TR	Tie-Rod cylinder - 4024TR	R 4,950
DC2-4028TR	Tie-Rod cylinder - 4028TR	R 5,115
DC2-4030TR	Tie-Rod cylinder - 4030TR	R 5,500
DC2-4036TR	Tie-Rod cylinder - 4036TR	R 6,055

Tie-Rod Seal Kits

Stock Code	Description	Price Each
DC2SKIT2.01	2"Bore & 1-1/8"Rod Seal Kit	R 835
DC2SKIT3.01	3"Bore & 1-1/4"Rod Seal Kit	R 867
DC2SKIT3.02	3"Bore & 1-1/2"Rod Seal Kit	R 867
DC2SKIT4.01	4"Bore & 1-1/2 Rod Seal Kit	R 867
DC2SKIT4.02	4"Bore & 2"Rod Seal Kit	R 867


Specifications

Stock Code	Rod Diameter	Port	Bore (mm)	Stroke (mm)	Closed Center (mm)	Open Center (mm)	Max Load (kg)	Pressure (bar)
DC2-2006TR	1.125"/ 28.575mm	3/8"NPT	50.8	152	413	565	3,510	172
DC2-2008-ASAE-TR	1.125"/ 28.575mm	3/8"NPT	50.8	203	514	718	3,560	172
DC2-2010TR	1.125"/ 28.575mm	3/8"NPT	50.8	254	514	768	3,560	172
DC2-2012TR	1.125"/ 28.575mm	3/8"NPT	50.8	305	565	870	3,561	172
DC2-2014TR	1.125"/ 28.575mm	3/8"NPT	50.8	356	616	972	3,561	172
DC2-2016TR	1.125"/ 28.575mm	3/8"NPT	50.8	406	667	1,073	3,561	172
DC2-2018TR	1.125"/ 28.575mm	3/8"NPT	50.8	457	718	1,175	3,560	172
DC2-2020TR	1.125"/ 28.575mm	3/8"NPT	50.8	508	768	1,276	3,561	172
DC2-2024TR	1.125"/ 28.575mm	3/8"NPT	50.8	610	870	1,480	3,561	172
DC2-3006TR	1.125"/ 31.75mm	1/2"NPT	76.2	152	413	565	8,015	172
DC2-3008-ASAE-TR-1.5	1.5"/ 38.1mm	1/2"NPT	76.2	203	514	719	8,015	172
DC2-3010TR-1.5	1.5"/ 38.1mm	1/2"NPT	76.2	254	514	769	8,015	172
DC2-3012TR-1.5	1.5"/ 38.1mm	1/2"NPT	76.2	305	565	870	8,015	172
DC2-3014TR-1.5	1.5"/ 38.1mm	1/2"NPT	76.2	356	616	971	8,015	172
DC2-3016TR-1.5	1.5"/ 38.1mm	1/2"NPT	76.2	406	667	1,072	8,015	172
DC2-3018TR-1.5	1.5"/ 38.1mm	1/2"NPT	76.2	457	718	1,173	5,756	172
DC2-3020TR-1.5	1.5"/ 38.1mm	1/2"NPT	76.2	508	768	1,278	4,890	172
DC2-3024TR-1.5	1.5"/ 38.1mm	1/2"NPT	76.2	610	870	1,480	3,651	172
DC2-3028TR	1.5"/ 38.1mm	1/2"NPT	76.2	711	972	1,683	3,651	172
DC2-3030TR	1.5"/ 38.1mm	1/2"NPT	76.2	762	1,022	1,787	3,729	172
DC2-3036TR	1.5"/ 38.1mm	1/2"NPT	76.2	914	1,175	2,090	3,729	172
DC2-4008-ASAE-TR	2"/ 50.8mm	1/2"NPT	101.6	203	514	717	14,247	172
DC2-4010TR	2"/ 50.8mm	1/2"NPT	101.6	254	514	769	14,250	172
DC2-4012TR-2	2"/ 50.8mm	1/2"NPT	101.6	305	565	870	14,250	172
DC2-4014TR	2"/ 50.8mm	1/2"NPT	101.6	356	616	972	14,247	172
DC2-4016TR	2"/ 50.8mm	1/2"NPT	101.6	406	667	1,073	14,247	172

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)

Specifications

Stock Code	Rod Diameter	Port	Bore (mm)	Stroke (mm)	Closed Center (mm)	Open Center (mm)	Max Load (kg)	Pressure (bar)
DC2-4018TR	2"/ 50.8mm	1/2"NPT	101.6	457	718	1,175	14,247	172
DC2-4020TR	2"/ 50.8mm	1/2"NPT	101.6	508	768	1,276	14,247	172
DC2-4024TR	2"/ 50.8mm	1/2"NPT	101.6	610	870	1,480	14,247	172
DC2-4028TR	2"/ 50.8mm	1/2"NPT	101.6	711	972	1,683	14,247	172
DC2-4030TR	2"/ 50.8mm	1/2"NPT	101.6	762	1,022	1,784	14,247	172
DC2-4036TR	2"/ 50.8mm	1/2"NPT	101.6	914	1,175	2,089	14,247	172



All cylinders tested at 207 bar.

Turntables

Stock Code	Max Load	Speed Rating	Outside Ø	Inner Ø	Height	Price Each
TL1-0400	400kg	Up to 25km/h	400mm	300mm	55mm	R 2,305
TL1-0650	1,100kg	Up to 40km/h	650mm	550mm	55mm	R 3,145
TL2-0900	3,500kg	Up to 40km/h	900mm	780mm	65mm	R 4,195
TL2-1050	5,000kg	Up to 40km/h	1,050mm	925mm	70mm	R 4,930
TL3-1100	6,500kg	Up to 40km/h	1,100mm	970mm	80mm	R 5,245
TL4-1100T	12,000kg	Up to 105km/h	1,100mm	949mm	90mm	R 8,815
TL5-1100	10,000kg	Up to 40km/h	1,100mm	950mm	90mm	R 8,020
TL6-1100DT	20,000kg	Up to 105km/h	1,100mm	940mm	92mm	R10,495


Notes:

Guarantee will be void if ANY welding is done on turntables.




Heights & Dimensions

Stock Code



Turntables: Heights and Dimensions



TL6-1100DT: Heights and Dimensions

Complete PTO's
4S

Stock Code	Description	Price Each
PTO-T4S-YS-01B-01B.1000	T4 PTO Shaft 01B-01B 1000mm	R 1,675
PTO-T4S-YS-01B-01B.1200	T4 PTO Shaft 01B-01B 1200mm	R 1,675
PTO-T4S-YS-01B-01B.1500	T4 PTO Shaft 01B-01B 1500mm	R 1,990
PTO-T4S-YS-01B-FFV1.1000	T4 PTO Shaft 01B-FFV1 1000mm	R 2,725
PTO-T4S-YS-01B-FFV1.1200	T4 PTO Shaft 01B-FFV1 1200mm	R 2,830
PTO-T4S-YS-01B-FFV1.1500	T4 PTO Shaft 01B-FFV1 1500mm	R 3,040

Complete PTO's
6S

Stock Code	Description	Price Each
PTO-T6S-YS-01B-01B.1000	T6 PTO Shaft 01B-01B 1000mm	R 2,410
PTO-T6S-YS-01B-01B.1200	T6 PTO Shaft 01B-01B 1200mm	R 2,305
PTO-T6S-YS-01B-01B.1500	T6 PTO Shaft 01B-01B 1500mm	R 2,305
PTO-T6S-YS-01B-FFV2.1000	T6 PTO Shaft 01B-FFV2 1000mm	R 3,355
PTO-T6S-YS-01B-FFV2.1200	T6 PTO Shaft 01B-FFV2 1200mm	R 3,880
PTO-T6S-YS-01B-FFV2.1500	T6 PTO Shaft 01B-FFV2 1500mm	R 3,880

PTO's - Spares
4S

Stock Code	Description	Price Each
PTOTP55X8	Tension Pin 55x8 S4 i/tube	R 12
PTOTP60X8	Tension Pin 60x8 S4 o/tube	R 4
PTO4S-S-B47	S4 in/shield bearing	R 16
PTO4S-S-B54	S4 out/shield bearing	R 16
PTO4S-S-YS-INCONE-FFV	S4 inner shield cone YS for FFV	R 58
PTO4S-S-YS-INCONE	S4 inner shield cone YS	R 58
PTO4S-S-YS-OUTCONE	S4 outer shield cone YS	R 58
PTO4S.01	Cross journal 74.6x27 S4	R 116
PTO4S.0501B	S4 Splined QR yoke 108	R 237
PTO4S.06	T4 O/Tube Yolk 92x43.4	R 268
PTO4S.07	T4 i/tube yoke 92x36.1	R 289
PTO4S.SB	S4 Shear bolt clutch 1480Nm	R 478
PTO4S.RA1	S4 Overrun clutch 2400Nm	R 573



PTO-T4S-YS-01B-01B.1000

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)

PTO's - Spares
6S

Stock Code	Description	Price Each
PTOTP70X10	Tension Pin 70x10 S6 i/tube	R 17
PTOTP80X10	Tension Pin 80x10 S6 o/tube	R 18
PTO6S-S-B59.5	S6 in/shield bearing	R 23
PTO6S-S-B68.5	S6 out/shield bearing	R 23
PTO6S.FFV2.006	Clutch 6S-bushing	R 37
PTO6S.FFV2.003	Clutch 6S-friction plate	R 58
PTO6S.FFV2.002	Clutch 6S-internal disc	R 74
PTO6S.FFV2.001	Clutch S6-pressure plate	R 77
PTO6S-S-YS-INCONE-FFV	S6 inner shield cone YS for FFV	R 111
PTO6S-S-YS-OUTCONE	S6 outer shield cone Cat III	R 116
PTO6S-S-YS-INCONE	S6 inner shield cone Cat III	R 121
PTO6S.01	Cross Journal 92x30.2 S6	R 184
PTO6S.05A35	S6 plain bore yoke - 35 / 13mm pin hole	R 226
PTO6S.06	T6 O/Tube Yolk 106x53.6	R 310
PTO6S.07	T6 I/Tube Yolk 106x44.7	R 310
PTO6S.FFV2.004	Clutch 6S-hub	R 452
PTO6S.SB	S6 shear bolt clutch 2100Nm	R 835
PTO6S.FFV2	S6 friction clutch 2 disc 1200Nm	R 1,675
PTO6SWA.0513B	S6 wide angle joint CPTE	R 3,460








PTO-T6S-YS-01B-FFV2.1000







Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)

Couplers

With Brakes


Image	Stock Code	Capacity	Head	Body Type	Price
	**CBK1300B**	1,300kg	50mm Ball	Delta	R4,660
	**CBK1700B**	1,700kg	50mm Ball	Delta	R4,100
	**CBK2000BM**	1,100kg to 2,000kg	50mm Ball	Mono - 80x80	R5,815
	**CBK2000C**	1,100kg to 2,000kg	50mm Ball	Delta	R4,420
	**CBK2000D**	1,100kg to 2,000kg	40mm Din Eye	Delta	R6,175
	**CBK2000E**	1,100kg to 2,000kg	50mm Ball	Delta - Short Lever	R4,460
	**CBK2700B**	1,600kg to 2,700kg	50mm Ball	Delta	R5,035
	**CBK2700B.02**	1,600kg to 2,700kg	50mm Ball	Delta	R10,615

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Image	Stock Code	Capacity	Head	Body Type	Price
	**CBK2700D**	1,600kg to 2,700kg	40mm Din Eye	Delta	R7,240
	**CBK3000B**	2,000kg to 3,000kg	50mm Ball	Delta	R6,925
	**CBK3000B.02**	2,000kg to 3,000kg	50mm Ball	Delta	R11,020
	**CBK3000BM1**	2,000kg to 3,000kg	50mm Ball	Mono - 80x80	R10,180
	**CBK3000D**	2,000kg to 3,000kg	40mm Din Eye	Delta	R8,930
	**CBK3500B**	2,700kg to 3,500kg	50mm Ball	Delta	R8,690
	**CBK3500D**	2,700kg to 3,500kg	40mm Din Eye	Delta	R11,290

Couplers

Without Brakes

Image	Stock Code	Capacity	Head	Body Type	Price
	**CUE0750**	750kg	50mm Ball	Straight	R310
	**CUK0750**	750kg	50mm Ball	Straight	R499
	**CUK2700FY**	2,700kg	50mm Ball	Straight	R610
	**CBKL01**	Coupler Lock For CUK2700FY			R90

Tow Eyes

Image	Stock Code	Capacity	Head	Body Type	Price
	**C045**	10,000kg High Speed	40mm Eye	Weld-On Tow Eye	R1,465
	**C01132**	6,000kg Low Speed	35mm Eye	Tow Eye	R1,255
	**C07926**	6,000kg Low Speed	50mm Eye	Tow Eye	R1,150
	**C07933**	10,000kg Low Speed	40mm Eye	Tow Eye	R1,045
	**C07202**	2,700kg <40km/h 2,400kg >40km/h	50mm Eye	Bolt-On Tow Eye	R4,720
	**C07217**	14,000kg Low Speed	50mm Eye	Bolt-On Tow Eye	R2,620
	**C07217**	14,000kg Low Speed	50mm Eye	Bolt-On Tow Eye	R2,620
	**C07230**	3,000kg >km/h	40mm Eye	Bolt-On Tow Eye	R3,460

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)


Jockey Wheels & Clamps

Stock Code	Description	Max Load	Stroke	Shaft Ø	Wheel	Price
J0004	Jockey Wheel	250kg	200mm	60mm	8" Single Steel	R1,990
J0027	Jockey Wheel	545kg	381mm	51mm	210x50 Single Wheel	R1,465
JC25/4.5S	Jockey Wheel	80kg	-	25mm	4.5" Single Wheel	R235
JC32/4.5S	Jockey Wheel	80kg	-	32mm	4.5" Single Wheel	R310
JC35/6S	Jockey Wheel	100kg	200mm	35mm	6"Single Steel	R355
JC42/8S	Jockey Wheel	100kg	200mm	42mm	8" Single Steel	R410
JCB42/5.5S	Jockey Wheel	100kg	200mm	42mm	5.5" Single Steel	R605
JC48/8S	Jockey Wheel	150kg	300mm	48mm	8" Single Steel	R430
JCB48/8SL	Jockey Wheel	150kg	300mm	48mm	8" Single Steel	R765
JCB48/8S-AS	Jockey Wheel	150kg	300mm	48mm	8" Single Steel	R1,075
JCB48/8D	Jockey Wheel	150kg	230mm	48mm	8" Double Steel	R1,050
JC60/8S	Jockey Wheel	300kg	300mm	60mm	8" Single Steel	R805
JCB60/8SL	Jockey Wheel	300kg	300mm	60mm	8" Single Steel	R1,130
JCB60/8SLP	Jockey Wheel	300kg	300mm	60mm	8" Single Steel	R1,130
JCB60/8DL	Jockey Wheel	300kg	300mm	60mm	8" Double Steel	R1,465
JCB60/8DLP	Jockey Wheel	300kg	300mm	60mm	8" Double Steel	R1,465
JCB60/220S-0775R	Jockey Wheel	300kg	350mm	60mm	8" Single Steel	R1,720
JK60/220S-0775R	Jockey Wheel	300kg	350mm	60mm	8" Single Steel	R2,305
JCC35	Pressed Steel Clamp	-	-	35mm	-	R100
JCC42	Pressed Steel Clamp	-	-	42mm	-	R100
JCC48	Pressed Steel Clamp	-	-	48mm	-	R145
JCB48	Cast Clamp	-	-	48mm	-	R180
JTC48S	Pressed Steel Swivel Clamp	-	-	48mm	-	R540
JTC60S	Pressed Steel Swivel Clamp	-	-	60mm	-	R540
JCC60	Pressed Steel Clamp	-	-	60mm	-	R240

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)



JCB60/8SL



JCB60/8DL




JCB60/8S-AS



JCC42



JCC48



JCB48



JCC60



JTC48S/JTC48S

Parking Jacks

Stock Code	Outer Tube	Inner Tube	Stroke	Mass	Load	Total Length	Price Each
J0013	Ø 48mm	Ø 42mm	195mm	3.0kg	150kg	500mm	R 499
JT48/P	Ø 48mm	Ø 42mm	150mm	2.76kg	150kg	615mm	R 425
JC48/P700	Ø 48mm	-	-	1.8kg	150kg	615mm	R 425
JT60/P	Ø 60mm	Ø 51mm	260mm	4.48kg	300kg	670mm	R 540
J0007	□ 60mm	□ 50mm	255mm	6.0kg	600kg	590mm	R 1,255
J0005	□ 60mm	□ 50mm	350mm	7.0kg	800kg	565mm	R 1,395
J0012	Ø 57mm	Ø 50mm	350mm	5.6kg	900kg	540mm	R 1,150
J0017/J0017G	Ø 51mm	Ø 45mm	250mm	5.6kg	900kg	430mm	R 1,235
J0010	□ 80mm	□ 70mm	300mm	13.0kg	1,200kg	670mm	R 1,360
J0018/J0018G	Ø 57mm	Ø 50mm	370mm	6.5kg	1,300kg	560mm	R 1,445
J0006	□ 70mm	□ 60mm	350mm	8.4kg	1,500kg	565mm	R 1,655
J0009	□ 70mm	□ 60mm & □ 50mm	710mm	12.5kg	1,500kg	595mm	R 2,305
J0014	□ 80mm	□ 70mm & □ 60mm	576mm	21.0kg	2,500kg	685mm	R 2,725
J0008	□ 70mm	□ 60mm	300mm	12.6kg	3,000kg	620mm	R 1,840
J0015	□ 70mm	□ 60mm	200mm	16.5kg	4,000kg	485mm	R 3,145
J0016	□ 70mm	□ 60mm	170mm	13.8kg	6,000kg	460mm	R 2,935
J0021	Bush for J0017 and J0018 parking jacks						R 120
JCCJ01	-	-	-	4.24kg	800kg	505mm	R 820
JCCH01	Crank Handle for JCCJ01					670mm	R140



J0013



J0007

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)



J0005 / J0006



J0012



J0017



J0010



J0018



J0009



J0014



J0008



JCCJ01



JCCH01

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)

Stabiliser Legs

Stock Code	Stroke Length	Retracted Length	Extended Length	Mass	Linear Load Capacity	Price Each
J0044ES	180mm	380mm	560mm	6.3kg	500kg	R 785
J0044E	290mm	520mm	810mm	6.9kg	500kg	R 855
J0044EL	430mm	690mm	1120mm	8.9kg	500kg	R 930

NOTE: For stabilising only. Not for lifting.




J0044EL / J0044E / J0044ES

Leaf Springs

Stock Code	No. of Blades	C (mm)	ØD (mm)	ØE (mm)	L (mm)	T (mm)	W (mm)	Max Load/ Pair	Rate (kg/ mm)	Price Each
S03/27	3	80	12.5	12.5	685	6	44.5	560kg	3.44	R 320
S04/27	4	80	12.5	12.5	685	6	44.5	750kg	4.688	R 385
S05/27	5	80	12.5	12.5	685	6	44.5	950kg	5.936	R 435
S06/27	6	80	12.5	12.5	685	6	44.5	1 150kg	7.188	R 505
S07/27	7	80	12.5	12.5	685	6	44.5	1 350kg	8.438	R 530
S08/27	8	80	12.5	12.5	685	6	44.5	1 500kg	9.725	R 585
S10/27	10	80	12.5	12.5	685	6	44.5	1 800kg	11.25	R 710
S08/36	8	80	12.5	12.5	1020	8	50	2 000kg	12.5	R 1,250
S10/36	10	80	12.5	12.5	1020	8	50	2 500kg	15.625	R 1,465
S05/40	5	95	16	20	1100	10	70	3 000kg	15.79	R 1,760
S08/40	8	95	16	20	1100	10	70	4 000kg	21.053	R 2,515
S12/40	12	95	16	20	1100	10	70	6 000kg	31.579	R 3,040
S13/40	13	95	16	20	1100	10	70	8 000kg	42.105	R 3,145

Note: Remember that the eye of the spring should face towards the front of the trailer.



Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)



S04/27



S07/27



S08/27



S10/27



S08/36



S10/36



S08/40



S12/40

Spring Kits

Stock Code	No. of Blades	Max Load/Pair	Length	Blade Size (mm)	Supported Axle	Price Each
SKIT3000	5	3 000kg	1100mm	70 x 10	☐ 55	R 2,620
SKIT4000	8	4 000kg	1100mm	70 x 10	☐ 60	R 3,460
SKIT6000	12	6 000kg	1100mm	70 x 10	☐ 70	R 3,985
SKIT8000	13	8 000kg	1100mm	70 x 10	☐ 80	R 4,090



SKIT4000

Spring Mounting Kits

Stock Code	Supported Axle	Spring Width	U-Bolts	Plate	Hanger Set	Price Each
TC40R44.5G	Ø 40mm	44.5mm	SU40R	S5HP40	SH45	R 190
TC40S44.5G	☐ 40mm	44.5mm	SU40S	S5HP40	SH45	R 175
TC45S44.5G	☐ 45mm	44.5mm	SU45S	S5HP45	SH45	R 235
TC50S50G	☐ 50mm	50.0mm	SU50S	S5HP50	SH50	R 250

Spring Mounting Kit Components			
1 X 5 hole plate	2 x U-bolts & nuts	1 x Hanger Bracket	1 X Slipper Bracket
1 x Saddle (TC40R44.5G Only)			



TC40R44.5G



TC40S44.5G




TC45S44.5G





TC50S50G


Spring Mounting Kits Components


	U-Bolt (mm)						Plate (mm)							Hanger (mm)							
Stock Code	**A**	**B**	**C**	**D**	**T**	**Radius**	**C1**	**C2**	**d1**	**D2**	**S1**	**S2**	**t**	**Bolt**	**Nut**	**H**	**J**	**K**	**t1**	**W**	**Torque Nm**
TC40R44.5G	131	68	58		M10	24.5	58	58	11	15	90	80	8	M12X75G	M12NY	63	46	40	6	48	25
TC40S44.5G	116	58	58	5	M10		58	58	11	15	90	80	8	M12X75G	M12NY	63	46	40	6	48	25
TC45S44.5G	128	50	61	5	M12		61	61	13	15	90	90	10	M12X75G	M12NY	63	46	40	6	48	40
TC50S50G	169	80	67	6	M12		67	67	13	16	100	100	10	M12X90G	M12NY	75	58	40	6	55	40
SKIT3000	150	55	77	8	M16		92	77	18	25	125	120	10	M20X120G	M20NY	80	56	90	6	75	100
SKIT4000	185	55	82	8	M16		92	82	18	25	125	125	10	M20X120G	M20NY	80	56	90	6	75	100
SKIT6000	240	55	92	8	M16		97	92	18	25	140	140	10	M20X120G	M20NY	80	56	90	6	75	100
SKIT8000	270	55	102	8	M16		102	92	18	25	140	140	10	M20X120G	M20NY	80	56	90	6	75	100



















Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Parabolic Springs

Stock Code	No. of Blades	Max Load	Price Each
S01/27-17X45P	1	350kg	R230
S02/27-10X45P	2	450kg	R320
S02/27-10/13X45P	2	750kg	R380
S02/27/13X45P	2	900kg	R420
S02/27-14X50P	2	1,250kg	R680



Load Deflection



S02/27-14X50P

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Dampers

Stock Code	Description	Capacity	Price Each
CHDK37780	Light Suspension Rubbaride Damper	< - 750Kg	R615
CHDK990104	Suspension Damper - Red	750 - 900Kg	R755
CHDK990105	Suspension Damper - Green	900 - 1300Kg	R755
CHDK990106	Suspension Damper - Blue	1300 - 1800Kg	R755



LIGHT SUSPENSION DAMPER



900Kg DAMPER



1300Kg DAMPER



1800Kg DAMPER

U-Bolts

Stock Code	Description	Size	Torque Nm	Price Each
SU40S	U-Bolt 40mm Square	M10x50x125	25	R 25
SU40R	U-Bolt 40mm Round	M10x50x130	25	R 27
SU45S	U-Bolt 45mm Square	M12x50x140	40	R 39
SU45S.170	U-Bolt 45mm Square	M12x50x170	40	R 58
SU45R	U-Bolt 45mm Round	M12x50x140	40	R 42
SU50S	U-Bolt 50mm Square	M12x50x165	40	R 39
SU50R	U-Bolt 50mm Round	M12x50x180	40	R 50
SU55S	U-Bolt 55mm Square	M16x60x150	100	R 126
SU60S	U-Bolt 60mm Square	M16x65x185	100	R 153
SU70S	U-Bolt 70mm Square	M16x75x240	100	R 168
SU70S-174	U-Bolt 70mm Square	M16x75x240	100	R 184
SU80S	U-Bolt 80mm Square	M16x85x270	100	R 216
SU080-M22	U-Bolt 80mm Square	M22x80x255	180	R 625

Note: These items are used to secure the leaf spring to the axle. Remember that the eye of the spring should face towards the front of the trailer.




SU50S

5 Hole Plates

Stock Code	Description	Size	Price Each
S5HP40	5 Hole Plate 40mm	90x80x8mm	R 42
S5HP45	5 Hole Plate 45mm	90x90x10mm	R 63
S5HP50	5 Hole Plate 50mm	100x100x10mm	R 84
S5HP55	5 Hole Plate 55mm	125x120x10mm	R 153
S5HP60	5 Hole Plate 60mm	125x125x10mm	R 163
S5HP70	5 Hole Plate 70mm	140x140x10mm	R 184
S5HP80	5 Hole Plate 80mm	140x140x10mm	R 205
SA0006001	5 Hole Plate for 80mm High Speed Square Axles		R 350
SA0008001	Spring Seat for 80mm High Speed Square Axles		R 600
S5HP90X75	5 Hole Plate for 90mm Low Speed Square Axles		R 331
SM0011002	Rod bracket for 90mm & 100mm Low Speed Square Axles		R 970
SM0012002	Spring Seat for 90mm & 100mm Low Speed Square Axles		R 440

Note: These items are used to secure the leaf spring to the axle. Remember that the eye of the spring should face towards the front of the trailer.



Technical Drawing: S5HP80

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)

Saddles

Stock Code	Description	Price Each
S1HP45x08	Flat Saddle (Square Axles)	R 23
SS40	Saddle 40mm Round	R 25

Bolts


Stock Code	Description	Price Each
M12X75G	Bolt M12x75mm Galvanised	R 15
M20X300G	Bolt M20x300mm Galvanised	R 160



SS40

Hangers

Stock Code	Description	Price Each
SH45	Hanger Set 45mm	R 84
SH50	Hanger Set 50mm (STD)	R 95
SH70	Hanger Set 70mm (STD)	R 176
SH70H-10	Hanger 70mm High Speed	R 395
SH70S-10	Slipper 70mm High Speed	R 540
SH70S -10LS	Hanger 70mm Low Speed	R 289
SH75A	Hanger 75mm Low Speed	R 1,045




Technical Drawing: SH75A

Wheel Studs

Stock Code	Description	Size	Tightening Torque(Nm)	Price Each
M12WS	M12 Wheel Stud	41x14x21x1,5mm	90 (Class 10.9)	R 9
M12WB24	M12 Wheel Bolt	43 x 19 x 12 x 1,5mm	85 (Class 8.8)	R 11
M14WSR	M14 Wheel Stud	48x15,5x14x1,5mm	160 (Class 10.9)	R 25
M16WS	M16 Wheel Stud	45x17,2x16x1,5mm	230 (Class 10.9)	R 29
M18WS	M18 Wheel Stud	49x19,3x18x1,5mm	330 (Class 10.9)	R 39
M18WSBADR.66	M18 Wheel Stud BRK ADR	66x21,5x18x1,5mm	330 (Class 10.9)	R 170
M20WSADR	M20 Wheel Stud ADR	70x21,5x20x1,5mm	350 (10.9 Spherical) / 380 (10.9 Flat)	R 70
M20WSBADR	M20 Wheel Stud BRK ADR	87x21,5x20x1,5mm	350 (10.9 Spherical) / 380 (10.9 Flat)	R 120
M22WS	M22 Wheel Stud FAD	65x24,2x22x1,5mm	450 (10.9 Spherical) / 510 (10.9 Flat)	R 240
M22WS-105	M22 Wheel Stud	94x24x22x1,5mm	450 (10.9 Spherical) / 510 (10.9 Flat)	R 71
M22WS.122	M22 Wheel Stud Alluminium Rims		450 (10.9 Spherical) / 510 (10.9 Flat)	R 81
M22WSA	M22 Wheel Stud ALION		450 (10.9 Spherical) / 510 (10.9 Flat)	R 77
M22WSA.88	M22 Wheel Stud ALION		450 (10.9 Spherical) / 510 (10.9 Flat)	R 81
M22WSADR	M22 Wheel Stud ADR	71x24,1x22x1,5mm	450 (10.9 Spherical) / 510 (10.9 Flat)	R 81
M22WSADR.90	M22 Wheel Stud ADR	84x24,1x22x1,5mm	450 (10.9 Spherical) / 510 (10.9 Flat)	R 77

Note: The above details the Wheel Stud Torque to be applied to Burquip steel wheels. Note that other wheel manufacturers may indicate different Torque to suit the material of their wheels.



Technical Drawing: M22WS

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Wheel Nuts

Stock Code	Description	Size (mm)	Tightening Torque(Nm)	Price Each
M12WN	M12 Wheel Nut	16 x 21 x 12 x 1.5	90 (Class 10)	R 8
M14WN	M14 Wheel Nut	18 x 24 x 14 x 1.5	160 (Class 10)	R 26
M14WN.60	M14 Wheel Nut Taper 60°	18 x 24 x 14 x 1.5	160 (Class 10)	R 26
M16WN	M16 Wheel Nut	20 x 24 x 16 x 1.5	230 (Class 10)	R 16
M18WNR16	M18 Wheel Nut	25 x 24 x 18 x 1.5	330 (Class 10)	R 13
M20WNADR	M20 Wheel Nut		350 (10 Spherical) / 380 (10 Flat)	R 25
M22WN	M22 Wheel Nut		450 (10 Spherical) / 510 (10 Flat)	R 68
M22WNADR	M22 Wheel Nut		450 (10 Spherical) / 510 (10 Flat)	R 33
M22WNF	M22 Wheel Nut Flanged		450 (10 Spherical) / 510 (10 Flat)	R 32


Nylock Nuts

Stock Code	Description	Size	Price Each
M12NY	M12 Nylock Nut	19 x 12 x 1.75mm	R 4
M14NY	M14 Nylock Nut	22 x 14 x 2mm	R 18
M16NY	M16 Nylock Nut	24 x 16 x 2mm	R 12
M20NY	M20 Nylock Nut	30 x 20 x 2.5mm	R 9
M22NY	M22 Nylock Nut	32 x 22 x 2.5mm	R 30

Note: All nyloc nuts are DIN 985 Grade 8.

Castle Nuts

Stock Code	Description	Size	Price Each
M18CNW	M18 Castle Nut Flanged	M18x1,5 (27mm)	R 21
M24CNW	M24 Castle Nut Flanged	M24x1,5 (36mm)	R 32
M33CN2	M33 Castle Nut	M33x2,0 (50mm)	R 88
M36CN2	M36 Castle Nut	M36x2,0 (55mm)	R 120
M39CN	M39 Castle Nut	M39x2,0	R 65



Technical Drawing: M24CNW

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Grease Caps

Stock Code	Description	Price Each
GCAP47.1	Grease Cap 47mm	R 25
GCAP52.1	Grease Cap 52mm	R 29
GCAP62.1	Grease Cap 62mm	R 31
GCAP72.1	Grease Cap 72mm	R 145
GCAP80.1	Grease Cap 80mm	R 77
GCAP80.2	Grease Cap 80mm ADR	R 79
GCAP85.1	Grease Cap 85mm	R 81
GCAP85.2	Grease Cap 85mm	R 90
GCAP90.1	Grease Cap 90mm	R 195
GCAP100.1	Grease Cap 100mm	R 225
GCAP100.2	Grease Cap 100mm ADR	R 135
GCAP110.1	Grease Cap 110mm	R 100
GCAP110.2	Grease Cap 110mm	R 165
GCAP160.0	Grease Cap 160mm AF90 & AFB90C	R 165
GCAP160.1	Grease Cap 160mm ADR 90 & 100mm SQ	R 240
GCAP180.0	Grease Cap 180mm	R 175
GCAP185.0	Grease Cap 185mm 164 DIA with gasket	R 499
GCAP220.1	Grease Cap 220mm ADR 150mm SQ	R 940



Grease Caps

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)

Knott Braked Coupler Spares

Pressed Steel Bodies


No.	Stock Code	Description	Price Each
2	**CBKS07**	Guide Bearing, excl. lock Brown with white ferrule KF13/20	R 195
2	**CBKS07S**	Guide Bearing, incl. lock New, Black Snapper KF13/20	R 215
2	**CBKS09**	Guide Bearing, excl. lock Brown with white ferrule KF27/30	R 225
2	**CBKS09S**	Guide Bearing, incl. lock New, Black Snapper KF27/30	R 225
3	**CBKS19**	Grease Nipple Press in KF13/20/27 & 30	R 20
4	**CBKS05**	Drawbar 45mm diameter KF13 & KF20	R 1,280
4	**CBKS08**	Drawbar 50mm diameter KF27	R 1,615
4	**CBKS08-8**	Drawbar 50mm diameter with 14mm bolt holes KF30	R 1,615
5	**CBKS06**	Drawbar Stop Ring KF20	R 160
5	**CBKS21**	Drawbar Stop Ring KF27 & KF30	R 147
6	**CHDK1300**	Shock Absorber KF13 - 87 0007 09	R 1,755
6	**CHDK2000E**	Shock Absorber KF20 - 87 1011 09	R 735
6	**CHDK2000**	Shock Absorber KF20 - 87 0011 09	R 1,420
6	**CHDK2700**	Shock Absorber 87003909 (12mm Hole)	R 1,575
6	**CHDK2700D14**	Shock Absorber 8700310914 (14mm Hole)	R1,575
6	**CHDK3000**	Shock Absorber KF30 - 87 0039 09-14	R 1,420
7	**CBKBALL45A**	Coupling Head Ball Type 50mm KF13	R 1,150
7	**CBKBALL45**	Coupling Head Ball Type 50mm KF20	R 940
7	**CBKBALL50**	Coupling Head Ball Type 50mm Old Type (12mm Hole)	R 1,360
7	**CBKBALL50A**	Coupling Head Ball Type 50mm New Type (14mm Hole) /	R 1,570
13	**CBKS01**	Bellow KF13 & KF20	R 175
13	**CBKS17**	Bellow KF27 & KF30	R 160
20	**CBKS03**	Hand Brake Lever Complete KF13, KF20 & KF27	R 2,405
21	**BCK3.5x1200**	Brake Away Cable Complete 1050mm	R 220
22	**CBKS04**	Hand Brake Damper KF13, KF20, KF27 & KF30	R 1,280
23	**CBKS023.01.001**	Clevis for Transmission Lever M10	R 65
24	**CBKS03.01.001**	Hand Brake Handle	R 55

NOTES:

Refer to image on the next page.

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)


Pressed Steel Bodies



Knott Braked Coupler Spares

Cast Iron Bodies

No.	Stock Code	Description	Price Each
3	**CBKS20**	Grease Nipple M12 KF35	R 55
4	**CBKS12**	Draw Tube 60mm diameter KF35	R 1,775
5	**CBKS13**	Draw Tube Stop Ring KF35	R 21
6	**CHDK3500**	Shock Absorber / Hydraulic Damper KF35 - 87 0036 09	R 1,620
7	**CBKBALL60**	Coupling Head Ball Type 50mm KF35	R 2,095
13	**CBKS02**	Bellow KF35	R 245
20	**CBKS10**	Hand Brake Lever Complete KF35	R 2,730
21	**BCK3.5x1200**	Brake Away Cable Complete 1050mm	R 220
22	**CBKS11**	Hand Brake Damper KF35	R 1,660
23	-	Clevis for Transmission Lever	-
24	**CBKS03.01.001**	Hand Brake Handle	R 55



Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Coupler Din Eye Heads

Stock Code	Description	Pin Hole Size	Price Each
CBKEYE45	Coupler Eye 45mm Shaft	40mm	R 2,850
CBKEYE50	Coupler Eye 50mm Shaft	40mm	R 3,145
CBKEYE50A	Coupler Eye 50mm 14mm Bolts	40mm	R 2,445
CBKEYE60	Coupler Eye 60mm Shaft	40mm	R 2,445
CBKEYE45X76	Coupler Eye 45mm Shaft	76mm	R 2,095
CBKEYE50X76	Coupler Eye 50mm Shaft	76mm	R 2,830
CBKEYE60X76	Coupler Eye 60mm Shaft	76mm	R 3,265




CBKEYE50A

Brake Mechanisms

BK200 (200x50)

No.	Stock Code	Description	Price Each
1	**BK200L**	Complete Brake Mechanism LHS	R 1,465
1	**BK200R**	Complete Brake Mechanism RHS	R 1,465
2	**BSK200.02**	Expander	R 111
3	**BSK200.03**	Leading Brake Shoe Top	R 520
4	**BSK200.04**	Trailing Brake Shoe Bottom	R 605
5	**BSK200.05**	Return Spring Primary	R 17
7	**BSK200.07**	Retaining Spring	R 69
10	**BSK200.10**	Cam Follower	R 16
11	**BSCRPK1**	Brake Retaining Plate	R 52
12	**BSK200.12**	Brake Wedge	R 37
14	**BSK200.14**	Return Spring Secondary	R 42
16	**BSK200.16**	Link Expander	R 205
25	**BSK200.25**	Brake Adjust Screw	R 8




Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Brake Mechanisms

BK250B (250x40)

No.	Stock Code	Description	Price Each
1	**BK250BL**	Complete Brake Mechanism LHS	R 2,515
1	**BK250BR**	Complete Brake Mechanism RHS	R 2,515
2	**BSK200.02**	Expander	R 111
3	**BSK250B.03**	Leading Brake Shoe Top	R 680
4	**BSK250B.04**	Trailing Brake Shoe Bottom	R 1,047
5	**BSK250B.05**	Return Spring Primary	R 18
7	**BSK250B.07**	Retaining Spring	R 55
10	**BSK250B.10**	Cam Follower	R 21
11	**BSCRPK1**	Brake Retaining Plate	R 52
12	**BSK250B.12**	Brake Wedge	R 42
14	**BSK250B.14**	Return Spring Secondary	R 25
16	**BSK200.16**	Link Expander	R 205
25	**BSK250B.25**	Brake Adjust Screw	R 10




Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Brake Mechanisms

BK250A (250x50)

No.	Stock Code	Description	Price Each
1	**BK250AL**	Complete Brake Mechanism LHS	R 2,515
1	**BK250AR**	Complete Brake Mechanism RHS	R 2,515
2	**BSK200.02**	Expander	R 111
3	**BSK250A.03**	Leading Brake Shoe Top	R 1,045
4	**BSK250A.04**	Trailing Brake Shoe Bottom	R 1,395
5	**BSK250B.05**	Return Spring Primary	R 18
7	**BSK200.07**	Retaining Spring	R 69
10	**BSK250B.10**	Cam Follower	R 21
11	**BSCRPK1**	Brake Retaining Plate	R 52
12	**BSK250B.12**	Brake Wedge	R 42
14	**BSK250B.14**	Return Spring Secondary	R 25
16	**BSK200.16**	Link Expander	R 205
25	**BSK250B.25**	Brake Adjust Screw	R 10




Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Introduction to Pitch Circle Diameters (PCD)

The wheel studs or wheel bolts are inserted into holes drilled into the hubs. These small holes are drilled equally spaced on the circumference of a circle centred on the axis of the wheel bearings. The diameter of this circle is called the Pitch Circle Diameter or PCD. It is essential that the PCD of the hub and the PCD of the wheel correspond exactly.

The following tables show the common PCD's used in the **Burquip**'s axle and wheels range.



PCD	Code	C (mm)	No of Holes (n)	Diameter (mm)
4/100	.01	70.711	4	100
5/114.3	.02	67.184	5	114.3
5/165.1	.03	97.043	5	165.1
6/139.7	.04	69.850	6	139.7
6/205	.05	102.500	6	205
8/275	.06	105.238	8	275
5/150	.07	88.168	5	150
4/114.3	.08	80.822	4	114.3
Special	.09			
10/335	.10	103.521	10	335
4/139.7	.11	98.783	4	139.7
5/140	.12	82.290	5	140
5/112	.13	65.832	5	112
5/120.65	.14	70.916	5	120.65
10/225	.15	69.529	10	225

Where C is the distance between consecutive hole centers.

Special PCD's are those that we rarely drill, e.g. 4/108; 4/101.6; 5/127, etc. If we see that a specific special PCD is becoming popular we will denote it with the next available number.

PCD are calculated according to the following formula using the symbols defined above:

$$PCD = \frac{C}{SIN(180^{\circ}/n)}$$

Brake Drums

1600kg Axle

Components

Brake Drum	Grease Cap	Split Pin	Castle Nut	Spacer	Bearings	Wheel Bolt	Oil Seal
HBB200B.01C	GCAP52.1	M3.2X36SP	M18CN/M18CNW	M20BSFW	B30205 & B32007	M12WB24	OS42-62-7
HBB200B.02C	GCAP52.1	M3.2X36SP	M18CN/M18CNW	M20BSFW	B30205 & B32007	M12WB24	OS42-62-7
HBB200B.04C	GCAP52.1	M3.2X36SP	M18CN/M18CNW	M20BSFW	B30205 & B32007	M12WB24	OS42-62-7
HBB200B.04SC	GCAP52.1	M3.2X36SP	M18CN/M18CNW	M20BSFW	B30205 & B32007	M12WS & M12WN	OS42-62-7

Stock Code	Description	Price Each
HBB200B.01C	Complete Brake Drum 4/100 pcd	R 1,330
HBB200B.02C	Complete Brake Drum 5/114 pcd	R 1,330
HBB200B.04C	Complete Brake Drum 6/140 pcd	R 1,330
HBB200B.04SC	Complete Brake Drum 6/140 pcd with studs & nuts	R 1,330
GCAP52.1	Grease Cap 52mm	R 29
M3.2X36SP	Split Pin	R 2
M18CN/M18CNW	M18 Castle Nut M18x1.5/Castle Nut Flanged M18x1.5	R 23 / 21
M20BSFW	Spacer 19mmx34mmx3mm	R 5
B30205	Bearing 30205	R 84
B32007	Bearing 32007	R 110
M12WB24	M12 Wheel Bolt 1,5mm	R 11
M12WS	M12 Wheel Studs 1,5mm	R 9
M12WN	M12 Wheel Nuts 1,5mm	R 8
OS42-62-7	Oil Seal 42x62x7	R 17

Brake Drums

1800kg Axle

Components

Brake Drum	Grease Cap	Split Pin	Castle Nut	Spacer	Bearings	Wheel Bolt	Oil Seal
HBB250B.02C	GCAP52.1	M3.2X36SP	M18CN/M18CNW	M20BSFW	B30205 & B32007	M12WB24	OS42-62-7
HBB250B.04C	GCAP52.1	M3.2X36SP	M18CN/M18CNW	M20BSFW	B30205 & B32007	M12WB24	OS42-62-7
HBB250B.07C	GCAP52.1	M3.2X36SP	M18CN/M18CNW	M20BSFW	B30205 & B32007	M14WSR & M14WN	OS42-62-7

Stock Code	Description	Price Each
HBB250B.02C	Complete Brake Drum 5/114.3	R 1,930
HBB250B.04C	Complete Brake Drum 6/140 pcd with wheel bolts	R 1,930
HBB250B.07C	Complete Brake Drum 5/150 pcd	R 1,930
GCAP52.1	Grease Cap 52mm	R 29
M3.2X36SP	Split Pin	R 2
M18CN/M18CNW	M18 Castle Nut M18x1.5/Castle Nut Flanged M18x1.5	R 23 / R21
M20BSFW	Spacer 19mmx34mmx3mm	R 5
B30205	Bearing 30205	R 84
B32007	Bearing 32007	R 110
M12WB24	M12 Wheel Bolt 1,5mm	R 11
M14WSR	M14 Wheel Studs 1,5mm	R 25
M14WN	M14 Wheel Nuts 1,5mm	R 26
OS42-62-7	Oil Seal 42x62x7	R 17

Brake Drums

2500kg Axle

Components

Brake Drum	Grease Cap	Split Pin	Castle Nut	Spacer	Bearings	Wheel Bolt	Oil Seal
HBB250A.03C	GCAP62.1	M4x40SP	M24CN/M24CNW	M24BSFW	B30206 & B30208	M16WN & M16WS	OS48-80-10
HBB250A.04C	GCAP62.1	M4x40SP	M24CN/M24CNW	M24BSFW	B30206 & B30208	M12WS & M12WN	OS48-80-10
HBB250A.07C	GCAP62.1	M4x40SP	M24CN/M24CNW	M24BSFW	B30206 & B32008	M14WSR & M14WN	OS48-80-10

Stock Code	Description	Price Each
HBB250A.03C	Complete Brake Drum 5/165 pcd	R 1,930
HBB250A.04C	Complete Brake Drum 6/139.7 pcd	R 1,930
HBB250A.07C	Complete Brake Drum 5/150 pcd	R 1,930
GCAP62.1	Grease Cap 62mm	R 31
M4X40SP	Split Pin	R 2
M24CN/M24CNW	M24 Castle Nut M24x1.5/Castle Nut Flanged M24x1.5	R 39 / R32
M24BSFW	Spacer 25mmx44mmx4mm	R 8
B30206	Bearing 30206	R 90
B30208	Bearing 30208	R 175
M12WS	M12 Wheel Studs 1,5mm	R 9
M12WN	M12 Wheel Nuts 1,5mm	R 8
M14WSR	M14 Wheel Studs 1,5mm	R 25
M14WN	M14 Wheel Nuts 1,5mm	R 26
M16WN	M16 Nuts 1,5mm	R 16
M16WS	M16 Wheel Studs 1,5mm	R 29
OS48-80-10	Oil Seal 48x80x10	R 41


Hubs

750kg Unbraked Axles

Components

Hub (No. 1)	Grease Cap (No. 2)	Split Pin (No. 3)	Castle Nut (No. 4)	Spacer (No. 5)	Bearings (No. 6)	Wheel Bolt (No. 7)	Oil Seal (No. 8)
HUB0450.01C	GCAP47.1	M3.2X36SP	M18CN/M18CNW	M20BSFW	B30204 & B30205	M12WB24	OS30-52-7

Stock Code	Description	Price Each
HUB0450.01C	Complete Hub 4/100 pcd only, hub excludes spindle	R 625
GCAP47.1	Grease Cap 47mm	R 25
M3.2x36SP	M3,2mm Split Pin	R 2
M18CN/M18CNW	M18 Castle Nut M18x1.5/Castle Nut Flanged M18x1.5	R 23 / R21
M20BSFW	Spacer 19mmx34mmx3mm	R 5
B30204	Bearing 30204	R 79
B30205	Bearing 30205	R 84
M12WB24	M12 Wheel Bolt 1,5mm	R 11
OS30-52-7	Oil Seal 30x52x7	R 16




Component Reference

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Hubs

1600kg Unbraked Axles

	Components						
Hub (No. 1)	**Grease Cap (No. 2)**	**Split Pin (No. 3)**	**Castle Nut (No. 4)**	**Spacer (No. 5)**	**Bearings (No. 6)**	**Wheel Bolt (No. 7)**	**Oil Seal (No. 8)**
HUB0800B.01C	GCAP52.1	M3.2X36SP	M18CN/M18CNW	M20BSFW	B30205 & B32007	M12WB24	OS42-62-7
HUB0800B.02C	GCAP52.1	M3.2X36SP	M18CN/M18CNW	M20BSFW	B30205 & B32007	M12WB24	OS42-62-7
HUB0800B.03C	GCAP52.1	M3.2X36SP	M18CN/M18CNW	M20BSFW	B30205 & B32007	M16WN & M16WS	OS42-62-7
HUB0800B.04C	GCAP52.1	M3.2X36SP	M18CN/M18CNW	M20BSFW	B30205 & B32007	M12WB24	OS42-62-7
HUB0800B.04SC	GCAP52.1	M3.2X36SP	M18CN/M18CNW	M20BSFW	B30205 & B32007	M12WS & M12WN	OS42-62-7
HUB0800B.07C	GCAP52.1	M3.0ARC	M18CN/M18CNW	M20BSFW	B30205 & B32007	M14WSR & M14WN	OS42-62-7



Component Reference

Hubs


1600kg Unbraked Axles

Stock Code	Description	Price Each
HUB0800B.01C	Complete Hub 4/100 pcd only, hub excludes spindle	R 1,100
HUB0800B.02C	Complete Hub 5/114.3 pcd only, hub excludes spindle	R 1,100
HUB0800B.03C	Complete Hub 5/165 pcd only, hub excludes spindle	R 1,100
HUB0800B.04C	Complete Hub 6/139.7 pcd only, hub excludes spindle	R 1,100
HUB0800B.04SC	Complete Hub 6/139.7 pcd only, hub excludes spindle	R 1,100
HUB0800B.07C	Complete Hub 5/150 pcd only, hub excludes spindle	R 1,135
GCAP52.1	Grease Cap 52mm	R 29
M3.2x36SP	M3,2mm Split Pin	R 2
M3.0ARC	R Clip 3.0mm	R 2
M18CN/M18CNW	M18 Castle Nut M18x1.5/Castle Nut Flanged M18x1.5	R 23 / R21
M20BSFW	Spacer 19mmx34mmx3mm	R 5
B30205	Bearing 30205	R 84
B32007	Bearing 32007	R 110
M12WB24	M12 Wheel Bolt 1,5mm	R 11
M12WS	M12 Wheel Studs 1,5mm	R 9
M12WN	M12 Wheel Nuts 1,5mm	R 8
M14WSR	M14 Wheel Studs 1,5mm	R 25
M14WN	M14 Wheel Nuts 1,5mm	R 26
M16WN	M16 Nuts 1,5mm	R 16
M16WS	M16 Wheel Studs 1,5mm	R 29
OS42-62-7	Oil Seal 42x62x7	R 17

Hubs

2500kg Unbraked Axles

	Components						
Hub (No. 1)	**Grease Cap (No. 2)**	**Split Pin (No. 3)**	**Castle Nut (No. 4)**	**Spacer (No. 5)**	**Bearings (No. 6)**	**Wheel Bolt (No. 7)**	**Oil Seal (No. 8)**
HUB1250.02C	GCAP62.1	M4X40SP	M24CN/M24CNW	M24BSFW	B30206 & B30208	M12WB24	OS48-80-10
HUB1250.03C	GCAP62.1	M4X40SP	M24CN/M24CNW	M24BSFW	B30206 & B30208	M16WN & M16WS	OS48-80-10
HUB1250.04C	GCAP62.1	M4X40SP	M24CN/M24CNW	M24BSFW	B30206 & B30208	M12WB24	OS48-80-10
HUB1250.04SC	GCAP62.1	M4X40SP	M24CN/M24CNW	M24BSFW	B30206 & B30208	M12WS & M12WN	OS48-80-10
HUB1250.07C	GCAP62.1	M4X40SP	M24CN/M24CNW	M24BSFW	B30206 & B30208	M14WSR & M14WN	OS48-80-10



Component Reference

Hubs


2500kg Unbraked Axles

Stock Code	Description	Price Each
HUB1250.02C	Complete Hub 5/114.3 pcd, 2500kg unbraked axles	R 1,280
HUB1250.03C	Complete Hub 5/165 pcd, 2500kg unbraked axles	R 1,280
HUB1250.04C	Complete Hub 6.139.7 pcd, 2500kg unbraked axles	R 1,280
HUB1250.04SC	Complete Hub 6/139.7 pcd, 2500kg unbraked axles	R 1,280
HUB1250.07C	Complete Hub 5/150 pcd, 2500kg unbraked axles	R 1,450
GCAP62.1	Grease Cap 62mm	R 31
M4x40SP	Split Pin M4	R 2
M24CN/M24CNW	M24 Castle Nut M24x1.5/Castle Nut Flanged M24x1.5	R 39 / R32
M24BSFW	Spacer 25mmx44mmx4mm	R8
B30206	Bearing 30206	R90
B30208	Bearing 30208	R175
M12WB24	M12 Wheel Bolt 1,5mm	R11
M12WS	M12 Wheel Studs 1,5mm	R9
M12WN	M12 Wheel Nuts 1,5mm	R8
M14WSR	M14 Wheel Studs 1,5mm	R25
M14WN	M14 Wheel Nuts 1,5mm	R26
M16WN	M16 Nuts 1,5mm	R16
M16WS	M16 Wheel Studs 1,5mm	R29
OS48-80-10	Oil Seal 48x80x10	R41


Electrical Cable

Image	Stock Code	Description	Price
	**EC5C**	Cable 5 Core 0.75mm Sold in 5m increments	R 145/5m
	**EC7C**	Cable 7 Core 0.75mm Sold in 5m increments	R 190/5m
	**Q-EJB001**	Electrical Junction Box	R 145

Light Boxes

Image	Stock Code	Description	Price
	**LB01P**	Light Box 2 Lens 110	R 81
	**LB03P**	Light Box 1 Lens 110	R 51

Lights

Image	Stock Code	Description	Price
	**EL08**	Kombi light 100X95X50mm	R 48
	**ELKOM**	Kombi light 180X95X55mm	R 90
	**EL08LED**	Kombi light LED 100X100X40mm	R 235
	**ELEDC2**	Kombi light LED 110 round	R 250
	**EL02AS** **EL02A**	Lamp 110 Semi Sealed - Amber Lamp Sealed, with gasket - Amber (SABS Approved)	R 48 R 84
	**EL02RS** **EL02R**	Lamp 110 Semi Sealed - Red Lamp Sealed, with gasket - Red (SABS Approved)	R 48 R 84
	**EL02ALED19**	Lamp LED 110 - Amber - Gasket included	R 390
	**EL02RLED19**	Lamp LED 110 - Red - Gasket included	R 390


Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Lights

Image	Stock Code	Description	Price
	**EL-DF-TRL003**	Tail Light LED 105.5x97.8x36.4mm	R 160
	**EL-DF-TRL019L**	45° Side Marker Light LED 150.2X141.5X56.9mm	R 210
	**EL-DF-TRL019R**	45° Side Marker Light LED 150.2X141.5X56.9mm	R 210
	**EL-DF-TRL020**	Marker Light LED Red / White 116.8x41.7x38.1mm	R 100
	**EL-DF-TRL95A**	Tail Light LED Round 95 Diameter	R 225
	**EL-DSF-TRL030AL**	Tail Light LED - Left 164.7x79.8x35.4mm 12V - 24V	R 225
	**EL-DSF-TRL030AR**	Tail Light LED - Right 164.7x79.8x35.4mm 12V - 24V	R 225
	**EL-ICL97**	Wall or Ceiling Mount LED Light Single Lens 176x115x29mm 12V	R 145

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Lights


Image	Stock Code	Description	Price
	**EL-ICL98**	Wall or Ceiling Mount LED Light Double Lens 292x116x29mm 12V	R 235
	**EL-PLL8AB**	Awning Lamp Amber - LED 248x87x56mm 12V - 24V	R 225
	**EL-PLL8CB**	Awning Lamp Clear - LED 248x87x56mm 12V - 24V	R 225
	**ELN12**	Number Plate Light 67.4x38.5x35.9mm 12V - 24V	R 48
	**ELN12LED**	Number Plate Light - LED 100% Waterproof 74.6x35.5x34mm 12V - 24V	R 115
	**EL02A-BQ**	Tail Lamp Sealed - Amber	R 95
	**EL02R-BQ**	Tail Lamp Sealed - Red	R 95
	**EL02ALED19-BQ**	Amber LED Light with Gasket	R 175

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Lights

Image	Stock Code	Description	Price
	**EL02RLED19-BQ**	Red LED Light with Gasket	R 175
	**ELEDC2-BQ**	LED - Combination Light	R 185

Plugs & Adaptors


Image	Stock Code	Description	Price
	**E7PFMPC**	7 Pin Female Plug - Metal	R 79
	**E7PMPC**	7 Pin Male Plug - Metal	R 74
	**E7PMPPC**	7 Pin Male Plug - Plastic	R 48
	**E7PMPD3000-4000**	7 Pin 3M Electric Coil	R 405
	**E7-13**	13 Pin to 7 Pin 12 Volt Adaptor	R 42
	**E7PH**	7 Pin Male Plug Holder	R 42

Reflective Components

Image	Stock Code	Description	Price
	**EREFA** **EREFA40**	Reflector Amber 70x35 Refelctor Amber 90x40	R 8 R 11
	**EREFC** **EREFC40**	Reflector Clear 70x35 Reflector Clear 90x40	R 8 R 11
	**EREFR** **EREFR40**	Reflector Red 70X30 Reflector Red 90X40	R 8 R 11
	**ERETR150**	Reflector Red Triangle 150	R 16
	**EBQRT**	Reflective Tape Sold in 5m increments	R 135/5m
	**EADRT**	Reflective Tape - Amber Sold in 5m increments	R 270/5m
	**E3M**	3m Reflective Tape - Amber Sold in 5m increments	R 290/5m
	**CV1040** **CV1200** **CV1200S** **CV1400** **CV1600** **CV1700** **CV1700S** **CV1800**	Chevron 1040mm Chevron 1200mm Chevron 1200mm - Stick On Chevron 1400mm Chevron 1600mm Chevron 1700mm Chevron 1700mm - Stick On Chevron 1800mm	R 310 R 330 R 250 R 375 R 385 R 395 R 280 R 405

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Data Plate

Image	Stock Code	Description	Price
	**DP001**	Data Plate	R 32
	**Z006**	Plastic single disc holder	R 23
	**Z007**	Truck disc holder (Galvanised)	R 55

Hand Winches

Image	Stock Code	Description	Price
	**HW1760**	Hand winch 800kg double gear	R 775
	**HW2500**	Hand winch 1135kg	R 855

Tie-Downs

Stock Code	Description	Length	Safe Work Load	Break Strength	Price
HR50BRT01	Bolt-On Retractable Ratchet Strap	1.68m	500kg	1,500kg	R555
ZAC-WC-TD01	Wheel Chock Tie-Down Kit	2.74m	227kg	680kg	R545
HR25CB01	Smart Cam Buckle Tie-Down	3.05m	182kg	545kg	R160
HR25RRT01	Retractable Ratchet Tie-Down	3.05m	182kg	545kg	R399
HR25RT02	Owl Ratchet Tie-Down	3.05m	227kg	680kg	R200
HR25RT01	Ratchet Tie Down	4m	227kg	682kg	R145
HR50RT01	Ratchet Tie Down & Strap	9m	1,667kg	5,000kg	R210
HR100WS01	Winch Strap With Flat Hook	9.15m	2,454kg	7,364kg	R200
HR50RT02	Ratchet Tie-Down & Strap	12m	1,667kg	5,000kg	R240



HR50BRT01



ZAC-WC-TD01



HR25CB01



HR25RRT01



HR25RT02






HR25RT01


HR100WS01


HR50RT02

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)

Hinges, Brackets & Fittings

Image	Stock Code	Description	Price
	Z001	Toggle Catch & Hook	R90
	Z002	Heavy Duty Toggle Latch	R165
	Z003	Heavy Duty Striker	R39
	Z004	Toggle Latch & Link Plate	R135
	Z012.01 Z012.02	22mm Container Lock Set With Standard Handle 27mm Container Lock Set With Standard Handle	R580 R780
	Z013.01 Z013.02	Small Canopy Pressure Lock 48x85 Large Canopy Pressure Lock 50x100	R250 R250
	Z014.01	Door Catch	R70
	Z015	Anti-Luce Short With Nut	R58

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)




Image	Stock Code	Description	Price
	**Z016**	Anti-Luce Long With Nut	R69
	**Z017**	Anti-Luce Weld On	R53
	**Z019**	Anti-Luce Small Weld On	R18
	**Z021.01**	Hinge 185x65mm	R75
	**Z021.02**	Hinge 140x60mm	R60
	**Z021.03**	Hinge 180x85mm	R85
	**Z021.04**	Hinge 270x80mm	R260
	**Z021.05**	Hinge 220x70mm	R140




Image	Stock Code	Description	Price
	**Z022**	Dropside Hinge Eye L	R95
	Z025	Dropside Hinge Eye L 16x6mm	R52
	**Z023**	Spring Bolt	R58
	**Z024**	Male Plug Holder	R25
	**Z027**	Short Double Bracket	R79
	**Z028**	Overcenter Thin Latch ADJ - 262mm	R108
	**Z029A**	Engaging Hook For Z028 - Straight	R16
	**Z029B**	Engaging Hook For Z028 - Bent	R13
	**Z030A**	Fastener With Spring Catch - 206mm	R69



Image	Stock Code	Description	Price
	**Z030B**	Fastener With Spring Catch - 105mm	R58
	**Z031A**	Catch Plate For Z030 - Straight	R17
	**Z031B**	Catch Plate For Z030 - Kink	R21
	**Z031C**	Catch Plate For Z030 - Short Bent	R17
	**Z031D**	Catch Plate For Z030 - Long Bent	R24
	**Z032**	Overcenter Wide Latch - 219mm	R120
	**Z033**	Catch Plate For Z032	R32
	**Z034**	Folding Seal Ring	R15


Image	Stock Code	Description	Price
	Z036.01	Throwover Catch 87 - 99mm Small	R30
	Z036.02	Throwover Catch 124 - 134mm Medium	R45
	Z036.03	Throwover Catch 179 - 189mm Large	R60

Tail Boards

Image	Stock Code	Description	Price
	ETAIL1220	uPVC Board With Incandescent Lights 1,220x152mm	R735
	ETAIL1220LED	uPVC Board With LED Lights 1,220x152mm	R1,220

Mudguards

Stock Code	Description	Wheel Size	A (mm)	B (mm)	C (mm)	Price Each
MS7.13-1U	Un-galvanised single	10" to 13"	660	241	227	R 205
MS7.13-1G	Galvanised single	10" to 13"	660	241	227	R 480
MS7.13-2U	Un-galvanised tandem	10" to 13"	1378	241	227	R 345
MS7.13-2G	Galvanised tandem	10" to 13"	1378	241	227	R 825
MS7.14-1U	Un-galvanised single	14"	723	271	254	R 250
MS7.14-1G	Galvanised single	14"	723	271	254	R 575
MS7.14-2U	Un-galvanised tandem	14"	1503	241	254	R 415
MS7.14-2G	Galvanised tandem	14"	1503	241	254	R 960
MS7.15-1U	Un-galvanised single	15"	862	303	297	R 310
MS7.15-1G	Galvanised single	15"	862	303	297	R 750
MS7.15-2U	Un-galvanised tandem	15"	1649	241	297	R 499
MS7.15-2G	Galvanised tandem	15"	1649	241	297	R 1,150





MS7-series

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg 103)



Scout Platform Range



Stock Code	Description	Load Capacity	Bicycle Count	Max Load Per Bike	E-Bike Compatible	Price
CS-03-202	Scout Tow Ball Bike Rack	40kg	2	20kg	No	R 4,783
CS-03-203	Scout Tow Ball Bike Rack	50kg	3	20kg	No	R 6,522
CS-03-204	Scout Tow Ball Bike Rack	60kg	4	20kg	No	R 7,391

Explorer Platform Range



Stock Code	Description	Load Capacity	Bicycle Count	Max Load Per Bike	E-Bike Compatible	Price
CS-03-332	Explorer Tow Ball Bike Rack	60kg	2	30kg	Yes	R 11,304

Pinnacle Platform Range



Stock Code	Description	Load Capacity	Bicycle Count	Max Load Per Bike	E-Bike Compatible	Price
CS-03-302	Pinnacle Tow Ball Bike Rack	60kg	2	30kg	Yes	R 12,609
CS-03-303	PinnacleTow Ball Bike Rack	60kg	3	30kg	Yes	R 14,348

Hang On Rack



Stock Code	Description	Load Capacity	Bicycle Count	Max Load Per Bike	E-Bike Compatible	Price
CS-03-122	Hang On Tow Ball Bike Rack	40kg	2	20kg	No	R 1,304

Flat Mount

Stock Code	Description	Load Capacity	Bicycle Count	Cross Bar Length (mm)	E-Bike Compatible	Price
CS-01-101	Roof Bike Stand - Flat Mount	17.5kg	1	1,320	No	R 1,739

Thru Axle Mount

Stock Code	Description	Load Capacity	Bicycle Count	Cross Bar Length (mm)	E-Bike Compatible	Price
CS-01-103	Roof Bike Stand - Thru Axle Mount	17.5kg	1	1,085	No	R 2,609

Cup Mount

Stock Code	Description	Load Capacity	Bicycle Count	Cross Bar Length (mm)	E-Bike Compatible	Price
CS-01-511	Roof Bike Stand - Cup Mount	17.5kg	1	590	No	R 2,609


CS-01-101


CS-01-103


CS-01-511

Prices are exclusive of VAT and subject to change without prior notice. (E & OE Notice - pg103)

Roof Cross Bars



Stock Code	Description	Load Capacity	Suitable Models	Bar Length (mm)	Material	Price
CS-04-103L	Roof Cross Bars - Raised	75kg	Raised side rails with gap	1,300	Aluminium	R 1,565
CS-04-6203L	Roof Cross Bars - Raised	75kg	Raised side rails with gap	1,300	Aluminium	R 1,652
CS-04-6209L	Roof Cross Bars - Flush	75kg	With Flush Rail	1,300	Aluminium	R 1,652
CS-04-6207L	Roof Cross Bars - With-Out	75kg	Without longitudinal roof rail	1,300	Aluminium	R 1,783

Roof Platforms



Stock Code	Description	Static Load	Dynamic Load	Size (mm)	Material	Price
CS-02-6107M	Roof Platform - Raised	200kg	75kg	1,400 x 950 x 100	Aluminium	R 2,304
CS-02-6108M	Roof Platform - Flat - Medium	200kg	75kg	1,400 x 1,000 x 35	Aluminium	R 3,565
CS-02-6108L	Roof Platform - Flat - Large	200kg	75kg	1,600 x 1,000 x 35	Aluminium	R 4,000

Roof Cargo Box



Stock Code	Description	Load Capacity	Capacity	Suitable Models	Size (mm)	Price
CS-02-9065M	Roof Cargo Box - Medium	75kg	360L	All vehicles with cross bars	1,600 x 770 x 350	R 3,304
CS-02-9065L	Roof Cargo Box - Large	75kg	480L	All vehicles with cross bars	1,760 x 770 x 410	R 3,739

E&OE NOTICE

While we strive to provide accurate product and pricing information, unintentional pricing or typographical errors may occur. We reserve the right to correct any errors, inaccuracies or omissions and to change or update informa-tion (including, without limitation, images, information related to text, pricing, availability and product descriptions) at any time without notice.
Prices are subject to change without prior notice.

Johannesburg: 011 396 6000
Pretoria: 012 030 1800
Cape Town: 021 907 1900
Durban: 031 792 1020
Vereeniging: 016 100 6150

www.burquip.co.za

Burquip